



TIME-TESTED AND STATE-OF-THE-ART
SHOWER SOLUTIONS FOR THE BATHROOM

BALTIJOS BRASTA GROUP is an international group of companies originating from Kaunas, Lithuania, since 1996.

BRASTA brand name englobes companies proficient in glass, paper, and isolating solutions.

Our mission is to empower Customers to put the best contemporary solutions into practice, thus creating the greatest value, because our minds are set on mutual growth, constant innovation, and meeting expectations as a trustworthy business partner.

The values that BRASTA stands by and that are deeply embedded into our daily business culture are

RESPONSIBILITY COOPERATION **ASSISTANCE**

MASTERY RESULT-ORIENTATTION

BALTIJOS BRASTA GROUP is fully compliant with contemporary business standards and is ISO (9001, 14001), Lean and FSM certified. With over 320 employees,

BRASTA

companies have extensive experience in producing and exporting to over 30 global destinations.



BRASTA GLASS – reflecting your expectations

BRASTA GLASS is offering a large scope of glass solutions, producing glass partitions, screens, shower enclosures and a wide range of related products.

Being one of the most experienced and trustworthy provider of such solutions in the region, BRASTA GLASS can deliver precision, design customizable solutions in complex high-level projects and ensure flexibility when needed.

Always thinking long term in creating sturdy products and building strong partnerships, the company is ready to meet your expectations and grow together.





FAST DROPS - a useful discovery

Glass is one of the best materials for making shower enclosures: it's sturdy, highly resistant to the effects of household chemicals, and lets light pass through very well. Glass does not have water-repellent properties, though, so droplets don't run off completely but settle on the glass and then dry, leaving salt, calcium and soap stains. As impurities build up on it, glass becomes less transparent.

As the days go by, glass like that gets harder and harder to clean and the results less and less satisfying.

But when glass is (nano-)coated with FAST DROPS, water molecules no longer have direct contact with it.

The basis of the FAST DROPS coating is cerium oxide nanoparticles, which give the surface of the glass hydrophobic (i.e., water-repellent) properties. As a result, water drops run off the glass. Its surface repels them.

The FAST DROPS coating repels not just water but also impurities. So glass stays cleaner and more transparent, and cleaning it becomes much easier. Moreover, glass coated with FAST DROPS is also more scratch-resistant.



BRASTA GLASS values

Successfully operating in the market for more than 25 years. We know different countries' market specifics: the Nordics, Eastern Europe, Western countries, and so on.



We've earned the trust of and work with: Hilton, RADISSON BLU, MARRIOTT, IBIS, DESIGN HOTELS and many others.



We work directly with the customer to resolve any problems that arise we advise, measure, do visualizations, and professionally install.



We offer a longer – 7-year – guarantee on our products because we're confident about the durability and long life of the materials we use.



Unlike other products on the market, our standard practice is to treat all glass with the German "Fast Drops" superhydrophobic coating at no extra charge. That reduces build-up of residue on the glass and makes it easier to clean and more scratch resistant.



We use glass that is at least 6/8 mm thick in all our products, while other manufacturers use less-safe organic or 4-4.5 mm thick glass.



All the frames and hinges in our products are made of high-quality stainless steel, so they keep their shine longer and are more resistant to cleaning agents.



Multi-faceted design solutions: a variety of sizes, colours, fittings, ornaments, and so on.



Our team of professional installers can complete projects of varying sizes on time and to high standards.



Long experience in custom product design and production: thanks to our employees' professional expertise, we can bring even the most complex and unconventional solutions to life.




All our products are designed and produced in Europe.




IMPORTANT INFORMATION

The nominal dimensions of shower enclosures (80x80, 90x90, etc.) are specified for installation on a shower tray (fig. 1). Nominal dimensions differ from the exact size of a product, since when an enclosure is installed, it is slightly offset from the edge of the tray.

If you intend to install a shower enclosure or screen directly on tile (fig. 2), it is important that the product's size exactly match the dimensions of the space prepared for it. In that case, take the exact dimensions from columns A and B of the product tables.





Exact size of product

Points where enclosure's edge should coincide with tile seam

SYMBOLS USED



Accessible for people with disabilities



RAL colour fittings



Gold, brass-colour fittings



Hinges inset in glass, easy maintenance



Fast Drops technology



Suitable for mounting on a tray

CONTENTS

1	About Baltijos Brasta Group	41	WITHOUT LIMITS collection	73	Bath screens
3	Warranty	42	Extra sidewall panel	74	MIJA, MEDA
	Fast drops	43	LIEPA, JULIJA	75	MAJA, MAJA PLUS
4	Brasta Glass values	44	NIDA	76	BERTA
5	Important information	46	NORA, NORA PLUS	78	Additional bath screen options
7	Range of shower enclosures and screens	47	IEVA		
		48	IEVA PLUS	81	Trays
11	Industrial-style products		IEVA PLUS with additional wall panel	0.	
13	NERO FRAME collection	50	IRMA	83	Ornaments
17	NERO CUBE collection				
		51	ELEGANCE collection	85	ACROBAT collection enclosures
21	Shower screens	53	LUKA, LORA		with gold-colour fittings
21	KAJA	54	NINA PLUS, TINA PLUS	88	Private band glass
22	DORA, EMA, DIJA	55	LUNA, AURORA	00	Tivate bana glass
23	Walk-in showers BONA, NONA	56	ANA PLUS, INA PLUS	89	RAL coloured fittings
24	LAURA				Ü
		57	AESTHETICS frameless sliding doors	95	Types of glass
25	ACROBAT collection	58	VESTA		NEW COLUMN
27	PRISMA 5	59	MILDA	96	NEW! Fluted glass. Mirrors
28	PRISMA 6	60	GABIJA, GABIJA PLUS		Mirrors
29	ADDITIONAL SIDEWALL, KARINA			97	Mirrored glass
30	KRISTINA	61	SOFT frameless sliding doors		g
31	VIKTORIJA, SONATA	63	MILDA SOFT, GABIJA SOFT	98	NEW! Towel hooks
32	ERIKA, ERIKA PLUS	64	GABIJA PLUS SOFT		
33	SANDRA			99	Door handles
34	LINA, GERDA	65	SPACE collection	101	Classician
35	GRETA, GRETA PLUS	67	LAIMA, RASA	101	Glass wiper
36	RITA, GODA	68	VAIVA	102	Instructions for use
37	SIMONA	69	SVAJA, SVAJA PLUS		
38	SIMA	70	4- wall shower enclosures	103	Non-standard shower
39	KATARINA				enclosures

PRODUCT GUIDE: SHOWER ENCLOSURES

RECTANGULAR SHOWER ENCLOSURES KRISTINA NORA **ERIKA** ERIKA (pg. 30) (pg. 46) (pg. 32) PLUS (pg. 32) KARINA NINA ANA NORA (pg. 29) **PLUS PLIUS PLIUS** (pg. 54) (pg. 46) (pg. 56) SANDRA VIKTORIJA SIMONA LIEPA (pg. 33) (pg. 31) (pg. 37) (pg. 43) SIMA **AURORA** LORA (pg. 38) (pg. 55) (pg. 53)

PRODUCT GUIDE: SHOWER ENCLOSURES, SLIDING SHOWER DOORS

RECTANGULAR SHOWER ENCLOSURES Angled entrance. Double sliding doors RASA VESTA PRISMA 5 PRISMA 6 (pg. 67) (pg. 58) (pg. 28) (pg. 27) Front entrance. Sliding doors



LAIMA (pg. 67)



MILDA (pg. 59)



MILDA SOFT (pg. 63)



LUNA (pg. 55)



VAIVA (pg. 68)



LUKA (pg. 53)



LINA (pg. 34)



NIDA (pg. 44.)

SEMICIRCULAR SHOWER ENCLOSURES



KATARINA (pg. 39)



JULIJA (pg. 43)



SONATA (pg. 31)

PRODUCT GUIDE: SHOWER DOORS



PRODUCT GUIDE: SHOWER WALL PANELS, 4-WALL SHOWER ENCLOSURES, BATH SCREENS, TRAYS







4-WALL SHOWER **ENCLOSURES**

How to set up a 4-wall shower enclosure, see pg. 70-72





The new INDUSTRIAL STYLE collection of shower enclosures is like a protest against the culture of reckless consumption. Value lies in what is authentic. It's a quest for perfect functionality.

Mechanical and engineering solutions triumph. This is a return to the sources of the industrial revolution of the 19th century, when the first goal in manufacturing an item was perfect functionality and when widespread use of metal began and of glass as a time-tested material. The stress is placed on product quality: quality materials are carefully chosen and the best methods devised in pursuit of simplicity and durability.

BRASTA GLASS is proud to present the industrial-style collection of shower enclosures as one of its masterpieces for the bathroom.


In bringing this product vision to life, we drew on the framework of the ACROBAT collection.

FUNCTIONAL...

- These are precision-engineered products with doors that can open both inwards and outwards and have an adjustable closing angle.
- Doors rise when opened and sit flush with the bathroom floor when closed.
- With their metal construction, shower enclosures and screens can be easily and reliably adapted for uneven walls and floors.
- Wall panels' inner side is coated with FAST DROPS, which reduces the amount of residue on the glass and so makes maintenance easier.
- This door handle is used in the industrial-style collection:


... AND STYLISH

- The black lines that frame the shower-enclosure glass are a distinctive accent reflecting a fashionable trend in bathroom decor. They cover the perimeter of the glass and divide it into rectangles.
- Metal constructions are perfectly smooth with a coating of black (or another desired colour) to protect them from the elements.
- The black colour of the magnetic seals matches the other elements of the shower's design.
- The edges of the glass are decorated using the timetested and reliable method of silk-screen printing, which is done before the glass is tempered so the paint sets well during the tempering process and does not wear off over time. The width of the bands of black paint is 16 mm.



RAM






In NERO FRAME products, doors' perimeter is framed by a silk-screened band on the glass which creates a sense of geometrical completeness and expressiveness. That is the difference between this collection and RAL, where only the framing can be coloured (see p. 89).





GRETA PLUS with additional sidewall









PHOTO: Interior - Doviles interjeras, photographer -Benas Šileika.


Shower wall GRETA PLUS 7 NERO FRAME collection





- The NERO CUBE style is available for the ACROBAT collection.
- NERO CUBE products are made with standard height of 2000 mm.
- A single glass pane can be up to 1072 mm wide (4 full rectangles).
- We recommend using the NERO CUBE style for products with clear glass.
- The width of the silk-screened band is 16 mm.
- Where the design does not allow for a whole number of standard rectangles, those adjacent to the hinges are made narrower in keeping with the product's dimensions.
 - Non-standard rectangle arrangements, where rectangles are distributed proportionally, are also possible.








The dimensions of standard NERO CUBE products with full rectangles are shown in the photos.





^{*} These standard dimension products will have a narrower rectangle adjacent to the wall.







VIKTORIA I 875x875x2000



VIKTORIA I *100x100x2000




SIMA I 879x879x2000



KRISTINA I 875x826x2000



KRISTINA I *100x100x2000



DORA, KAJA

- When tiles have a pronounced relief
- → When the wall has a decor element or mosaic that a screen would disrupt
- When a sense of lightness is desired
- Maximum height: 2250 mm

EMA

- When a high degree of stability is needed
- When more room for adjustment is needed
- Good when a wider or higher screen is desired
- Goes well with larger, heavier faucets

DIJA

- When the wall is very smooth
- For minimalism and elegance: wall and floor trimming ae of equal width, giving the screen an aesthetic look that doesn't overshadow interior design.

Shower screen surfaces can be painted in RAL colours. For more information see p. 89-94.

FRAMELESS SHOWER SCREENS

NEW!

Shower schreen KAJA









SHOWER SCREEN	KAJA screen width (mm)	GLASS thickness (mm)
80	795-798	8
90	895-898	8
100	995-998	8
110	1095-1098	8
120	1195-1198	8
130	1295-1298	8
140	1395-1398	8
Custom dimensions i	8	
Custom dimensions	8	
Custom dimensions i	8	

- The standard height of KAJA shower screen is 2000 mm.
- The maximum height is 2250 mm.
- Screens are made of 8 mm tempered safety glass.
- Because patterned, chinchilla and green or blue tinted glass are only possible with a thickness of 6 mm, we do not make screens of those glass types.
- The length of the top bracket that's included is 1000 mm.
- If a bracket of different length is required, that must be specified when ordering the product.
- A curb not included with shower screens.



SHOWER SCREEN	DORA screen width (mm)	EMA screen width (mm)	DIJA screen width (mm)	GLASS thickness (mm)
80	795-798	795-808	795-801	6
90	895-898	895-908	895-901	6
100	995-998	995-1008	995-1001	6
110	1095-1098	1095-1108	1095-1101	8
120	1195-1198	1195-1208	1195-1201	8
130	1295-1298	1295-1308	1295-1301	8
140	1395-1398	1395-1408	1395-1401	8
Custom din	6			
Custom din	8			
Custom dimensions in the range of 1401 1600 mm				8

- Screens differ depending on how they are attached to the wall.
- The standard height of DORA, EMA and DIJA shower screens is 2000 mm.
- The maximum height is 2250 mm.
- Screens up to 1100 mm wide are made of 6 mm tempered safety glass and wider ones of 8 mm tempered safety glass.
- Because patterned, chinchilla and green or blue tinted glass are only possible with a thickness of 6 mm, we do not make screens of those glass types wider than 1100 mm.
- When the height is changed and is less than 1000x2250 mm, screens are made of 6 mm glass.
- When the height is changed to more than 1000x2250 mm, screens are made of 8 mm glass.
- The length of the top bracket that's included is 1000 mm.
- If a bracket of different length is required, that must be specified when ordering the product.
- A curb not included with shower screens.

IMPORTANT! All screens can be fi ed in place with a corner bracket. We use the bracket for screens with a width of up to 1000 mm.

WALK-IN KITS



NONA shower screen



A = 895 / 995 / 1095

SHOWER SCREEN	A (mm)	B (mm)
90	895-898	250
100	995-998	250
110	1095-1098	250

Custom dimensions vary in the range

- The standard height of NONA screen is 2000 mm.
- The maximum height is 2100 mm.
- Screens are made of 6 mm tempered safety glass.
- The glass can be clear, patterned, tinted brown, grey, green or blue, satin, chinchilla.
- A bracket with a length of 100 cm is included.
- The standard small screen B is 250 mm.
- A curb is not included with NONA screens.
- For widths of 1101 mm or more, 8 mm glass is used.






A		_	
C	_ [3	C- entry width 600 mm.
		250 mm	

SHOWER SCREEN	A (mm)	B (mm)	
140x90	1379x1384	879-881	
150x90	1479x1484	879-881	
160x90	1579x1584	879-881	
Custom dimensions vary in the range			

Custom dimensions vary in the range 1385...1700 x 800...1000 mm

- The standard height of BONA screen is 2000 mm.
- The maximum height is 2100 mm.
- Screens are made of 6 mm tempered safety glass.
- The glass can be clear, patterned, tinted brown, grey, green or blue, satin, chinchilla.
- During installation, the BONA screen's entry can be narrowed or widened to up to 1000 mm.
- The dimensions of the enclosure's front will change accordingly.
- A curb is not included with BONA screens.

LAURA shower screen







SHOWER SCREEN	A (mm)
90	895-898
100	995-998
110	1095-1098

Custom dimensions vary in the range of 800..1100 mm

- The standard height of LAURA screen is 2000 mm. Screens are made of 6 mm tempered safety glass. The glass can be clear, patterned, tinted brown, grey, green or blue, satin, chinchilla.
- Screen opens both inwards and outwards.

 A curb is not included with the product. If one is needed, should

7 LAURA

- by specified when ordering.

 When ordering a screen of satin glass or with a privacy band, be sure to specify which side the screen will be mounted on.

 We can produce the LAURA shower screen without a handle. That must be specified when ordering and does not affect the product's final price.











The distinctive mark of the ACROBAT collection is its full-pivot hinges. Hence the name, since a shower enclosure with this type of hinge can be folded against the wall when not in use.

Another advantage of these enclosures is their door-lift feature. The door rises off the floor when opened, so the lower part of the shower is better sealed. Now that's an acrobatic trick, isn't it! The rising door feature is convenient for cleaning the floor as well and makes using the shower easier: the door holds in place when opened or closed.

The angle of the door when closed can be adjusted too! This feature ensures that shower doors "interface" with each other perfectly - so the separately installed wall panel sits flush against the tile surface.

The design of these enclosures is aesthetically pleasing, as there is trim only along the wall, with frameless edges everywhere else. So the bathroom feels more spacious.

And for the collection's final acrobatic trick: these shower enclosures function reliably and silently, and are firmly fixed to the wall.



NEW!

Shower enclosure PRISMA 5






The PRISMA 5 shower enclosure can be installed in bathroom spaces where a shower cabin usually wouldn't fit because of a window on one side.

When this folding, wallmounted enclosure is extended, it "envelops" the window, giving you enough space inside for comfortable use.







A (mm)	B (mm)	C (mm)	
Non- standard custom dimensions in the range of:			
800 900	400 500	800 900	
900 1000	400 500	900 1100	

- The standard height of PRISMA 5 enclosure is 2000 mm.
- Glass panels are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- Maximum door width is 500 mm.
- The height can only be changed downwards.
- When ordering, be sure to specify whether dimension B is on the right side or the
- A curb is included with the product and installed when there is insufficient slope.
- The widths of the stable wall panel D and the hinged door are equal. Dimension C is their combined width.





NEW!

Shower enclosure PRISMA 6





The PRISMA 6 shower enclosure is ideal for small bathrooms where you want more space when the shower is not in use.

The U-shaped PRISMA 6 mounts on a flat wall and its front folds in.

It doesn't take up unnecessary space in the bathroom, at the same time adding a touch of luxury and modernity.


A (mm)	B (mm)
875-888	875-888
975-988	975-988

Custom dimensions vary in the range:

A - 900..1000 mm,

B - 900..1100 mm

- The standard height of PRISMA 6 enclosure is 2000 mm.
- Glass panels are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, chinchilla, patterned, green or blue, satin, chinchilla, patterned.
- Maximum door width is 500 mm.
- The height can only be changed downwards.
- A curb is included with the product and installed when there is insufficient slope.
- The widths of the stable wall panel D and the hinged door are equal. Dimension B
 is their combined width.
- Upon request, the shower enclosure PRISMA 6 suitable for installing on a tray of your choice can be produced. That must be specified when ordering the product.




EXTRA OPTION!


An extra sidewall panel for ACROBAT models

- The standard height is 2000 mm.
- Glass panels are made of 6 and 8 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla,
- With the additional sidewall, you can mount a two-wall enclosure directly on the wall.
- The result is a three-wall shower enclosure with entry from the side.
- In recesses, the additional wall panel can be used to increase the width of the shower door.
- The maximum wall panel height is 2250 mm.
- For widths of 250 mm or more, an extra top bracket is supplied with the panel.

FOR EXAMPLE:

L - an extra sidewall panel







Shower enclosure KARINA








Left side installed door

Right side installed door



ENCLOSURE	A (mm)	B (mm)
80x80	775-788	775-788
90x90	875-888	875-888
100×100	975-988	975-988

Custom dimensions in the range of 700...1100 x 700...1100 mm.

- The standard height of KARINA enclosure is 2000 mm. The maximum height is 2250 mm.
- Glass panels are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, chinchilla, patterned, green or blue, satin.
- You can install the KARINA shower enclosure door on both the right and left side, except for the satin glass enclosures and the enclosures with the PRIVACY band.
- The KARINA shower enclosure can be produced with black RAL fittings.
- When ordering the enclosure with satin glass or with a privacy band, be sure to specify on which side the door will be installed.

Shower enclosure KRISTINA







SHOWER ENCLOSURE	A (mm)	B (mm)	
80x80	779-788	779-788	
90x90	879-888	879-888	
100x100	979-988	979-988	
Custom dimensions in the range of			

Left side installed door Right side installed door В В



Custom dimensions in the range of 700...1000 x 700...1000 mm.

- The standard height of KRISTINA enclosure is 2000 mm. The maximum height is 2250 mm. Glass panels are made of 6 mm tempered safety glass.

 The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
 You can install the KRISTINA shower enclosure door on both the right and left side, except for the satin, chinchilla, patterned glass enclosures and the enclosures with the PRIVACY band. When ordering the enclosure with satin, chinchilla, patterned glass or with a privacy band, be sure to specify on which side the door will be installed.

 The KRISTINA shower enclosure can be produced with black RAL fittings.



KRISTINA 90x90x2000 clear glass, SECRET 100



KRISTINA 90x90x2000 clear glass, gold-colour fittings



KRISTINA 90x90x2000 clear glass, black-colour fittings



KRISTINA 90x90x2000 I NERO FRAME clear glass, industrial style.



Shower enclosure VIKTORIJA







SHOWER ENCLOSURE	A (mm)	B (mm)
80x80	775-788	775-788
90x90	875-888	875-888
100x100	975-988	975-988

В Threshold strip

Custom dimensions in the range of 700...1000 x 700...1000 mm.

- The standard height of VIKTORIJA enclosure is 2000 mm. The maximum height is 2250 mm.
- Glass panels are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- The VIKTORIJA shower enclosure door can open both inwards and outwards.
- The VIKTORIJA shower enclosure can be produced with black RAL fittings.
- The VIKTORIJA shower enclosure can be made of 8 mm tempered safety glass.



Shower enclosure SONATA










SHOWER ENCLOSURE	A (mm)	B (mm)
80x80	775-788	775-788
90x90	875-888	875-888
100x100	975-988	975-988

Custom dimensions in the range of 700...1000 x 700...1000 mm.



- The standard height of SONATA enclosure is 1900 mm.
 The height of the SONATA shower enclosure cannot be changed.
 Glass panels are made of 6 mm tempered safety glass.
 The glass can be clear, tinted brown, grey.
 The SONATA shower enclosure door can open both inwards and outwards.
 The SONATA shower enclosure can be produced with black RAL fittings.
- The SONATA shower enclosure can be mounted on the IGNAS 90x90 tray.


Shower enclosure ERIKA








SHOWER ENCLOSURE	A (mm)	B (mm)	
80x80	779-792	775-788	
90x90	879-892	875-888	
100x100	979-992	975-988	
Custom dimensions in the range of			





- The standard height of ERIKA enclosure is 2000 mm. The maximum height is 2250 mm.
- Glass panels are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- The standard door width is 600 mm.
- The ERIKA shower enclosure door can open both inwards and outwards.
- The ERIKA shower enclosure can be produced with black RAL fittings.



Shower enclosure ERIKA PLUS



SHOWER ENCLOSURE


80x80

90x90

100x100







One-door ERIKA PLUS Right side installed doo

Custom dimensions in the range of 700...1100 x 700...1100 mm.

- The standard height of ERIKA PLUS enclosure is 2000 mm. The maximum height is 2250 mm.
- Glass panels are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- The standard door width is 600 mm.








Shower enclosure SANDRA





SHOWER ENCLOSURE	A (mm)	B (mm)
80x80	775-788	775-788
90x90	875-888	875-888
100x100	975-988	975-988

Custom dimensions in the range of 700...1000 x 700...1200 mm.




- The standard height of SANDRA enclosure is 2000 mm. The maximum height is 2100 mm. Glass panels are made of 6 mm tempered safety glass.

 The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned. When ordering the product, be sure to specify on which side the door will be installed. The maximum door leaf width is 1000 mm. The width of stable wall panel can be up to 1200 mm. The shower enclosure door is divided into two equal parts. The SANDRA shower enclosure can be produced with black RAL fittings. The SANDRA shower enclosure is available only with round handle. The SANDRA shower enclosure can only be produced with round handle (R001).

Shower enclosure LINA







Left side installed door

Right side installed door

Α

SHOWER ENCLOSURE	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)
80x80	779-788	779-788	450	475	450
90x90	879-888	879-888	450	615	450
100x100	979-988	979-988	550	615	550

Custom dimensions in the range of 700...1000 x 700...1100 mm.

- The standard height of LINA enclosure is 2000 mm. The maximum height is 2250 mm.
- Glass panels are made of 6 mm tempered safety glass.
- The standard door width is 600 mm.
- The LINA shower enclosure door can be installed on both the right and left side, except for the satin, patterned, chinchilla glass enclosures and the enclosures with privacy band.
- When ordering an enclosure with satin, patterned, chinchilla glass, be sure to specify on which side the door will be installed.
- The LINA shower enclosure is not meant for mounting on pentagonal SIMAS (or any other producer) tray. If you choose to mount the LINA shower enclosure on a tray, please specify before ordering the product.
- The LINA shower enclosure can be produced with black RAL fittings.

Shower door with wall panel GERDA









SHOWER DOOR	A (mm)
80	795-821
90	895-921
100	995-1021
110	1095-1121
120	1195-1221
130	1295-1321
140	1395-1421

Custom dimensions in the range of 800... 1600 mm

- The standard height of GERDA door is 2000 mm. The maximum height is 2250 mm.
- Glass panels are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- The shower wall door can open both inwards and outwards.
- The GERDA shower door can be produced in black RAL fittings.
- The GERDA shower enclosure is also available in gold-coloured fittings.







Shower door GRETA







SHOWER DOOR	A (mm)	
70	695-711	
80	795-811	
90	895-911	
Custom dimensions in the range of 711 1100 mm		

Right side installed door Left side installed door Α В В

- The standard height of GRETA door is 2000 mm. The maximum height is 2250 mm.
- Glass panels are made of 6 tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned. The shower wall door opens both inwards and outwards.
- When ordering a door with satin glass or PRIVACY band, be sure to specify on which side the door will be installed.
- The GRETA shower door can be produced in black RAL fittings.




Shower door with wall panel GRETA PLUS





SHOWER DOOR	A (mm)
90	895-911
100	995-1011
110	1095-1111
120	1195-1211



Custom dimensions in the range of 800... 1600 mm

- The standard height of GRETA PLUS door is 2000 mm. The maximum height is 2250 mm. Glass panels are made of 6 and 8 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned. The shower door can open both inwards and outwards.
- The standard door width is 600 mm.
- For widths of 1200 mm or less, the glass thickness is usually 6 mm.
- For widths of 1200 mm or more, the stable wall panel is made of 8 mm glass thickness and the door is made of 6 mm glass thickness.
- The GRETA PLUS shower door can be produced in black RAL fittings.

Shower door with wall panel GODA









SHOWER DOOR	A (mm)
70	695-711
80	795-811
90	895-911

Α Left side installed door Right side installed door

Custom dimensions in the range of 600... 1000 mm

- The standard height of GODA door is 2000 mm. The maximum height is 2100 mm.
- Glass panels are made of 6 mm tempered safety glass.

 The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.

 When ordering the shower door, be sure to specify on which side it will be installed.
- The GODA shower door can be produced in black RAL fittings.
- * The doors can be divided into two equal parts. That must be specified when ordering the
- The standard door width is 600 mm.


GODA with door segments of different width 7

Shower door with wall panel RITA





SHOWER DOOR	A (mm)
90	895-911
100	995-1011
110	1095-1111
120	1195-1211



Custom dimensions in the range of 800... 1600 mm

- The standard height of RITA door is 2000 mm. The maximum height is 2250 mm. Glass panels are made of 6 and 8 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned. The standard door width is 600 mm.

- The shower door can open both inwards and outwards.
 For widths of 1200 mm or less, the glass thickness is usually 6 mm.
 For widths of 1200 mm or more, the stable wall panel is made of 8 mm glass thickness and the door is made of 6 mm glass thickness.
- When ordering the door with satin glass or privacy band, be sure to specify on which side the door will be installed.







Shower enclosure SIMONA

















There are 2 types of SIMONA shower enclosures:

1. With both doors divided into two equal parts which when folded inwards do not protrude.



2. With standard 600 mm wide door and a stable wall panel whose width depends on the dimensions of the shower enclosure you choose. When the doors are folded inwards, part of them protrudes outside the enclosure; their folded seam does not obstruct the faucet.







SHOWER ENCLOSURE	A (mm)	B (mm)
80x80	775-788	775-788
90x90	875-888	875-888
100x100	975-988	975-988

Custom dimensions in the range of 700... 1000 x 700... 1000 mm

- The standard height of SIMONA enclosure is 2000 mm. The maximum height is 2100 mm. Glass panels are made of 6 mm tempered safety glass. The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned. The shower enclosure door can be divided into two equal parts (as shown on the photo on the left). That must be specified when ordering the product. The SIMONA shower enclosure can be produced with black RAL fittings.

Shower enclosure SIMA






There are 2 types of SIMA shower enclosures:

1. With both doors divided into two equal parts: the widths of each stable wall panel and hinged door are the same.

2. With standard 600 mm wide door and a stable wall panel whose width depends on the dimensions of the shower enclosure you choose. When the doors are folded inwards, they will not lay flat against the wall panel.





SHOWER ENCLOSURE	A (mm)	B (mm)
80x80	775-788	775-788
90x90	875-888	875-888
100x100	975-988	975-988

Custom dimensions in the range of 700... 1100 x 700... 1100 mm

- The standard height of SIMA enclosure is 2000 mm. The maximum height is 2250 mm. Glass panels are made of 6 mm tempered safety glass.

 The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.

 The shower enclosure door can be divided into two equal parts (as shown on in the photo on the right). That must be specified when ordering the product.

 The SIMA shower enclosure can be produced with black RAL fittings.

 The SIMA shower enclosure is not available in gold coloured fittings.

- The SIMA shower enclosure is not available in gold-coloured fittings.




KATARINA shower enclosure




SHOWER ENCLOSURE	A (mm)	B (mm)
80x80	775-788	775-788
90x90	875-888	875-888
100x100	975-988	975-988

- The height of the KATARINA shower enclosure cannot be changed. The standard height of KATARINA enclosure is 1900 mm. Glass panels are made of 6 mm tempered safety glass. The glass can be clear, tinted brown, grey, satin. The KATARINA shower enclosure door can open both inwards and outwards. The KATARINA shower enclosure can be produced with black RAL fittings.
- The KATARINA shower enclosure can be produced with black fittings.

 The KATARINA shower enclosure can be produced with gold-coloured fittings.





WITHOUT LIMITS COLLECTION OF SHOWER ENCLOSURES AND SCREENS

The WITHOUT LIMITS collection combines glass wall panels and chrome-plated holders in frameless constructions that create a new sense of space. The large choice of standard products and ability to realise nonstandard ideas lets you enhance any bathroom with a shower enclosure of exceptional design.

Hinges are specially designed for durability and to ensure doors stay in place and have a self-closing feature. Sturdy additional glass holders make the structure safe and stable. Gaskets adhere tightly, so the shower enclosure is watertight and has an aesthetically pleasing appearance.

The glass for shower enclosures in this collection are available in clear, tinted grey, brown, patterned, greenish, bluish, satin, with decorative elements, or with a privacy band.



VALUABLE OPTION!


EXTRA SIDEWALL PANEL FOR WITHOUT LIMITS **MODELS**


- The standard height is 2000 mm. The maximum height of the extra sidewalls is 2100 mm.
- Screens are made of 6 mm or 8 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.



EXTRA SIDEWALL PANEL (L) for:

NORA and NORA PLUS (pg. 46)






- With an extra sidewall panel, NORA and NORA PLUS shower enclosures can be mounted directly on the wall.
- The result is a three-wall shower enclosure with entry from the

EXTRA SIDEWALL PANEL for:

■ IEVA and IEVA PLUS (pg. 47-48)





- For widths of 250 mm or more, an extra top bracket is supplied with the panel.
- When ordering the product, be sure to specify on which side it will be installed.




Shower enclosure LIEPA





SHOWER ENCLOSURE	A (mm)	B (mm)	
80x80	779-784	779-784	
90x90	879-884	879-884	
100x100 979-984 979-984			
Custom dimensions in the range of 7001000 x 7001000 mm.			




- The standard height of LIEPA enclosure is 2000 mm. The maximum height is 2100 mm.
- Glass panels are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- The LIEPA shower enclosure doors can open both inwards and outwards.



Shower enclosure JULIJA







SHOWER ENCLOSURE	A (mm)	B (mm)
90x90	879-884	879-884

- The standard height of JULIJA enclosure is 1900 mm.
- Glass panels are made of 6 mm tempered safety glass.
- The glass can be clear.
- The height of the JULIJA shower enclosure cannot be changed.
- The JULIJA shower enclosure doors can open both inwards and outwards.






Shower enclosure NIDA







SHOWER ENCLOSURE	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)
80x80	783-788	783-788	450	475	450
90x90	883-888	883-888	450	615	450
100x100	983-988	983-988	550	615	550

Custom dimensions in the range of 700...1000 x 700...1000 mm.

- The standard height of NIDA enclosure is 2000 mm. The maximum height is 2100 mm. Glass panels are made of 6 mm tempered safety

- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- The NIDA shower enclosure door can be installed on both the right and left side, except for the enclosures with patterned, satin or chinchilla glass.
- When ordering an enclosure with satin, chinchilla, patterned glass or privacy band, be sure to specify on which side the door will be installed.
- The standard NIDA shower enclosure is not meant for mounting on pentagonal SIMAS (or any other producer) tray.
- Upon request, the shower enclosure NIDA suitable for installing on a tray of your choice can be produced. That must be specified when ordering the product.





Shower enclosure NORA

Shower enclosure NORA





SHOWER ENCLOSURE	A (mm)	B (mm)
80x80	779-784	779-784
90x90	879-884	879-884
100x100	979-984	979-984
Custom dimensions in the range of		

Left side installed door Right side installed door В В

Custom dimensions in the range of 700...1000 x 700...1000 mm

- The standard height of NORA enclosure is 2000 mm. The maximum height is 2100 mm.
- Glass panels are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned. The NORA shower enclosure door can be mounted on both the right and left side of the enclosure (except for enclosures with patterned, satin, chinchilla glass or privacy band).
- When ordering a wall panel with patterned, satin, chinchilla glass or privacy band, be sure to specify on which side the door will be installed.




Shower enclosure NORA PLUS




SHOWER ENCLOSURE	A (mm)	B (mm)
80x80	779-784	779-784
90x90	879-884	879-884
100x100	979-984	979-984

Custom dimensions in the range of 700...1100 x 700...1100 mm



- The standard height of VITA PLUS enclosure is 2000 mm. The maximum height is 2100 mm.
- Glass panels are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- The standard door width is 600 mm.
- The NORA PLUS shower enclosure door can be installed on both the right and left side of the enclosure (except for enclosures with patterned, satin, chinchilla glass or privacy band).
- When ordering a wall with patterned, satin, chinchilla glass or privacy band, be sure to specify on which side the door will be installed.
- The shower enclosure is also available in larger dimensions.
- The width of the 80x80 shower enclosure's door is 550 mm.










IEVA shower door with wall panel





SHOWER DOOR	A (mm)
60	579-603
70	697-703
80	797-803
90	897-903

Custom dimensions in the range of 603... 1000 mm



- The standard height of IEVA door is 2000 mm. The maximum height is 2100 mm. Glass panels are made of 6 tempered safety glass.


 The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned. The shower door opens both inwards and outwards.

 When ordering a door with satin glass or privacy band, be sure to specify on which side the door will be installed.
- To switch the door opening direction, turn the mounting door 180 degrees. (except wall panels with patterned, chinchilla, satin glass or privacy band).

IEVA PLUS shower door with wall panel



SHOWER DOOR	A (mm)
90	895-911
100	995-1011
110	1095-1111
120	1195-1211



Custom dimensions in the range of 800... 1600 mm

The standard height of IEVA PLUS door is 2000 mm. The maximum height is 2100 mm.

Glass panels are made of 6 and 8 mm tempered safety glass.

The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned glass or privacy band.

The standard door width is 600 mm.

When ordering a wall panel with patterned / satin / chinchilla / privacy band, be sure to specify on which side the door will be installed.


To switch the door opening direction, turn the mounting door 180 degrees. (except wall panels with patterned, chinchilla, satin glass or privacy band). For widths of 1200 mm or more, the stable wall panels are made of 8 mm and the doors of 6 mm glass thickness.



IEVA PLUS shower door with additional wall panel



SHOWER DOOR	A (mm)
120	1197-1205
130	1297-1305
140	1397-1405
150	1497-1505
160	1597-1605



Custom dimensions in the range of 1205... 2200 mm


The standard height of IEVA PLUS door is 2000 mm. The maximum height is 2100 mm.

Glass panels are made of 6 and 8 mm tempered safety glass. The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned glass or with a privacy band. The standard door width is 600 mm.

- To switch the door opening direction, turn the mounting door 180 degrees. (except wall panels with patterned, satin glass or privacy band).
- When ordering a wall panel with patterned / satin / chinchilla glass or privacy band, be sure to specify on which side the door will be installed.

For widths of 1200 mm or more, the stable wall panels are made of 8 mm and the doors of 6 mm glass thickness.









IRMA shower door with wall panel



SHOWER DOOR	A (mm)
90	897-905
100	997-1005
110	1097-1105
120	1197-1205



- Left side installed door Right side installed door

- The standard height of IRMA door is 2000 mm. The maximum height is 2100 mm. Glass panels are made of 6 and 8 mm tempered safety glass. The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned glass or with a privacy band.

- privacy pand.
 The standard door width is 600 mm.
 To switch the door opening direction, turn the mounting door 180 degrees.
 (except wall panels with patterned, satin glass or privacy band).
 When ordering a wall panel with patterned / satin / chinchilla glass or privacy band, be sure to specify on which side the door will be installed.
 For widths of 1200 mm or more, the stable wall panels are made of 8 mm and the doors of 6 mm glass thickness
- glass thickness.





ELEGANCE COLLECTIONof shower enclosures and shower screens

HERE ARE SEVERAL OF THE PRODUCTS' KEY ACCENTS:

- **1. Glass integrated into the hinge.** The hinge is flush with the glass inside the shower enclosure, thanks to a special form of attachment. That gives the product a modern look and makes cleaning easier.
- **2. More adjustment options.** Stable glass panels are attached to the wall via high-quality aluminium framing. Wall unevenness of up to 15 mm can be easily offset. Aesthetics are excellent thanks to the framing's special gloss and finishing details and the matching finish of the screw caps.
- **3. Excellent seal, easy maintenance.** Hinges are equipped with a lifting feature which allows the door to clear the curb in front of it more easily and, in the closed position, seals the door better. The glass is coated with FAST DROP coating, which repels water and deposits and is more scratch resistant.
- **4. Standard framing for this collection:** chrome, matte black, gold.











The products in this collection were first developed for the German market in collaboration with product specialists in that country.

EXTRA OPTION


FOR PRODUCTS IN THE ELEGANCE. FRAMELESS SLIDING AND SOFT CLOSE COLLECTIONS!


EXTRA SIDEWALL PANEL FOR SHOWER ENCLOSURES AND SCREENS

- The standard height is 2000 mm. The maximum wall panel height is 2250 mm.
- Panels are made of 6 and 8 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- With the additional sidewall, you can mount a two-wall enclosure directly on the wall.
- The result is a three-wall shower enclosure with entry from the side.
- In recesses, the additional wall panel can be used to increase the width of the shower door.
- Since patterned, chinchilla and green or blue tinted glass are only available in 6 mm thickness, we do not make product whose construction requires 8 mm glass with those glass types.



L - an extra sidewall panel














Shower enclosure LUKA









В

Threshold strip 19 mm

SHOWER ENCLOSURE	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)
80x80	775-788	775-788	450	475	450
90x90	875-888	875-888	450	615	450
100x100	975-988	975-988	550	615	550

Custom dimensions in the range of 700...1000 x 700...1000 mm

- The standard height of LUKA enclosure is 2000 mm.
- The maximum height is 2100 mm.
- Glass panels are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- When ordering the product, be sure to specify on which side the door will be installed.
- Upon request, the LUKA shower enclosure suitable for installing on a tray of your choice can be produced. That must be specified when ordering the product.
- The LUKA shower enclosure can be mounted on the SIMAS 90x90 tray.

Shower enclosure LORA





SHOWER ENCLOSURE	A (mm)	B (mm)
80x80	775-788	775-788
90x90	875-888	875-888
100x100	975-988	975-988

Custom dimensions in the range of 700...1100 x 700...1100 mm

- The standard height of LORA enclosure is 2000 mm.
- The maximum height is 2100 mm.
- Glass panels are made of 6 mm tempered safety glass.
- The standard door width is 600 mm.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- The hinge can divide the door into 2 parts according to your desired dimensions. That must be specified when ordering the product.
- If you want doors of other dimensions, specify that when ordering.
 - If you order a product with different A and B edges, be sure to specify which edge will be installed on which side.

Shower enclosure NINA PLUS





SHOWER ENCLOSURE	A (mm)	B (mm)
80x80	775-788	775-788
90x90	875-888	875-888
100x100 975-988 975-988		
Custom dimensions in the range of		

700...1100 x 700...1100 mm

Left side installed door

- The standard height of NINA PLUS enclosure is 2000 mm. The maximum height is 2100 mm.
- Glass panels are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- The standard door width is 600 mm.
- When ordering the product, be sure to specify on which side the door will be installed.




Shower door with wall panel TINA PLUS





SHOWER DOOR	A (mm)
90	895-907
100	995-1007
110	1095-1107
120	1195-1207

Custom dimensions in the range of 800... 1600 mm



- The standard height of TINA PLUSS door is 2000 mm. The maximum height is 2100 mm.
- Glass panels are made of 6 and 8 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- The standard door width is 600 mm.
- For widths of 1200 mm or less, the glass thickness is usually 6 mm.
- For widths of 1200 mm or more, the stable wall panel is made of 8 mm glass thickness and the door is made of 6 mm glass thickness.
- When ordering the product, be sure to specify on which side the door will be installed.








NEW! Shower enclosure LUNA









SHOWER ENCLOSURE	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)
80x80	783-788	783-788	450	475	450
90x90	883-888	883-888	450	615	450
100x100	983-988	983-988	550	615	550

Custom dimensions in the range of 700...1000 x 700...1000 mm

- The standard height of LUNA enclosure is 2000 mm.
- The maximum height is 2100 mm.
- Glass panels are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- When ordering the product, be sure to specify on which side the door will be installed.
- Upon request, the LUNA shower enclosure suitable for installing on a tray of your choice can be produced. That must be specified when ordering the product.
- The LUNA shower enclosure can be mounted on the SIMAS 90x90 tray.

NEW! Shower enclosure AURORA





SHOWER ENCLOSURE	A (mm)	B (mm)
80x80	779-784	779-784
90x90	879-884	879-884
100x100	979-984	979-984

Custom dimensions in the range of 700...1100 x 700...1100 mm

- The standard height of AURORA enclosure is 2000 mm.
- The maximum height is 2100 mm.
- Glass panels are made of 6 mm tempered safety glass.
- The standard door width is 600 mm.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- The hinge can divide the door into 2 parts according to your desired dimensions. That must be specified when ordering the product.
- If you want doors of other dimensions, specify that when ordering.
 - If you order a product with different A and B edges, be sure to specify which edge will be installed on which side.

Threshold strip 19 mm


NEW! Shower enclosure ANA PLUS





SHOWER ENCLOSURE	A (mm)	B (mm)
80x80	779-784	779-784
90x90	879-884	879-884
100x100	979-984	979-984
Custom dimensions in the range of		

700...1100 x 700...1100 mm



- The standard height of ANA PLUS enclosure is 2000 mm. The maximum height is 2100 mm.
- Glass panels are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- The standard door width is 600 mm.
- When ordering the product, be sure to specify on which side the door will be installed.




NEW! Shower door with wall panel INA PLUS





SHOWER DOOR	A (mm)	
90	897-905	
100	997-1005	
110	1097-1105	
120	1197-1205	
Custom dimensions in the name of		

Custom dimensions in the range of 800... 1600 mm



- The standard height of INA PLUS door is 2000 mm. The maximum height is 2100 mm.
- Glass panels are made of 6 and 8 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- The standard door width is 600 mm.
- For widths of 1200 mm or less, the glass thickness is usually 6 mm.
- For widths of 1200 mm or more, the stable wall panel is made of 8 mm glass thickness and the door is made of 6 mm glass thickness.
- When ordering the product, be sure to specify on which side the door will be installed.





FRAMELESS SLIDING DOOR WITH BLACK **FITTINGS**

MILDA RAL 9005 matte GABIJA RAL 9005 matte VESTA RAL 9005 matte



Shower enclosure VESTA





SHOWER ENCLOSURE	A (mm)	B (mm)	ENTRY WIDTH (mm)
80x80	780-800	780-800	415-455
90x90	880-900	880-900	485-525
100x100	980-1000	980-1000	555-595

Custom dimensions in the range of 800... 1100 x 800... 1100 mm

- В Threshold strip 19 mm
- The standard height of VESTA enclosure is 2000 mm. The maximum height is 2100 mm.
- Glass panels are made of 6 and 8 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, satin.
- Stable glass panel is made of 8 mm glass. The door is made of 6 mm glass.
- The maximum door leaf width is 595 mm.







В

Right side installed door

Shower enclosure MILDA





SHOWER ENCLOSURE	A (mm)	B (mm)	ENTRY WIDTH (mm)
110x80	1090-1110	795-805	470-500
120x80	1190-1210	795-805	520-550
130x80	1290-1310	795-805	570-600

Custom dimensions in the range of 1000... 1600 x 800... 1100 mm

- The standard height of MILDA enclosure is 2000 mm. The maximum height is 2100 mm. The glass can be clear, tinted brown, grey, satin.

 Stable glass panel is made of 8 mm glass. The door is made of 6 mm glass. The maximum door leaf width is 750 mm.

- The enclosure doors can be mounted on both the right and left side (except for satin glass or privacy band enclosures). When ordering a panel with satin glass or privacy band, be sure to specify on which side the door will be installed.

В

Left side installed door

Threshold strip 19 mm

Shower sidewall GABIJA






SHOWER DOOR	A (mm)	ENTRY WIDTH (mm)
100	990-1010	410-440
110	1090-1110	460-490
120	1190-1210	510-540
130	1290-1310	560-590
140	1390-1410	610-640



WIEW FROM THE TOP Wall mounting on magnets



Custom dimensions in the range of 1010... 1600 mm

- The standard height of GABIJA is 2000 mm. The maximum height is 2100 mm.
- The glass can be clear, tinted brown, grey, satin.

 Stable glass panel is made of 8 mm glass. The door is made of 6 mm glass.
- The maximum door leaf width is 750 mm.
- The sidewall doors can be mounted on both the right and left side (except for satin glass or privacy band sidewalls).
- When ordering a sidewall with satin glass or privacy band, be sure to specify on which side the door will be installed.
- For widths of 1600 mm or more, an extra top bracket is supplied with the panel installed at a steep angle inside the sidewall.
- The maximum width of the sidewall is 2000 mm.



Shower sidewall GABIJA PLUS







One-door GABIJA PLUS

SHOWER DOOR	A (mm)	ENTRY WIDTH (mm)
140	1390-1410	640
150	1490-1510	690
160	1590-1610	740

Custom dimensions in the range of 1410... 2000 mm

- The standard height of GABIJA PLUS is 2000 mm. The maximum height is 2100 mm.
- The glass can be clear, tinted brown, grey, green, satin.
- Stable glass panels is made of 8 mm glass. The door is made of 6 mm glass.
 When ordering a sidewall with satin glass or privacy band, be sure to specify on which side the door will be installed.
- For widths of 1600 mm or more, an extra top bracket is supplied with the panel installed at a steep angle inside the sidewall.





We are pleased to introduce the new SOFT sliding doors, whose frameless construction will enhance your bathroom and whose practical and reliable SOFT-close mechanism will delight you every time you use it.

ADVANTAGES OF SOFT FRAMELESS SLIDING DOORS:



- SOFT doors use top-quality framing and precision guide tracks which ensure durability.
- This frameless sliding-door technology includes the SOFT-close self-closing feature, which ensures doors open and close gently, quietly and safely.
- *SOFT* doors come with chrome fittings as standard. We can also paint framing in another colour of your choice. This will give the product and the bathroom a distinctive look.
- Maintenance is easy and convenient. All fasteners are covered to keep water and impurities from getting into mechanisms.
- All products in this collection are made of 8 mm glass as standard.
- The standard height is 2000 mm.
- We also accept non-standard orders and can make shower enclosures to fit the dimensions the customer provides.












Shower sidewall GABIJA SOFT





SHOWER DOOR	A (mm)	ENTRY WIDTH (mm)
100	990-1010	410-440
110	1090-1110	460-490
120	1190-1210	510-540
130	1290-1310	560-590
140	1390-1410	610-640



Custom dimensions in the range of 1010... 1600 mm


- The standard height of GABIJA SOFT is 2000 mm. The maximum height is 2100 mm.
- The glass can be clear, tinted brown, grey, satin.
- Glass panels are made of 8 mm tempered safety glass.
- For non-standard products wider than 1500mm, the maximum possible entry width is 750 mm.
- The doors can be mounted on both the right and left side (except the enclosures with satin glass or privacy band).
- When ordering with be sure to specify on side the door will be installed.
- The maximum sidewall width is 2000 mm.
- For widths of 1600 mm or more, an extra top bracket is supplied with the panel installed at a steep angle inside the sidewall.
- We do not produce this wall panel with R004 or R005 handles. See available handles on p. 99.

Shower enclosure MILDA SOFT





SHOWER ENCLOSURE	A (mm)	B (mm)	ENTRY WIDTH (mm)
110x80	1090-1100	795-805	470-500
120x80	1190-1200	795-805	520-550
130x80	1290-1300	795-805	570-600



Custom dimensions in the range of 1000... 1600 mm x 800... 1000 mm

- The standard height of MILDA SOFT enclosure is 2000 mm. The maximum height is 2100 mm.
- The glass can be clear, tinted brown, grey, satin.
- Glass panels are made of 8 mm tempered safety glass.
- For non-standard products wider than 1500 mm, the maximum possible entry width is 750 mm.
- The doors can be mounted on both the right and left side (except the enclosures with satin or privacy band glass).
- When ordering be sure to specify on which side the door will be installed.
- We do not produce this wall panel with R004 or R005 handles. See available handles on p. 99.

Shower sidewall panel GABIJA SOFT PLUS








GABIJA SOFT PLUS


SHOWER WALL	A (mm)	ENTRY WIDTH (mm)
140	1390-1410	740
150	1490-1510	790
160	1590-1610	840



Custom dimensions in the range of 1600... 2200 mm

- The standard height of GABIJA SOFT PLUS enclosure is 2000 mm.
 The maximum height is 2100 mm.
 Glass panels are made of 8 mm tempered safety glass.
 The glass can be clear, tinted brown, grey, satin.
 When ordering a shower sidewall panel, be sure to specify on which side the door will be installed.
- We do not produce this wall panel with R004 or R005 handles. See available handles on p. 99.







SPACE COLLECTION

of classical shower enclosures and screens

The SPACE collection consists of combinations of glass and aluminium framing where the glass structures dominate. Frameless shower doors and semi-framed screens lend these products brightness and lightness.

The shower enclosures are extremely sturdy, since they're made with reliable connectors, 6 mm tempered safety glass, and high-quality bearing mechanisms. Sliding doors ride on eight stainless steel ball-bearings.

Shower enclosures are kept watertight by a specially designed base for the shower and wall panels which adapt ideally to the bathroom floor. Thanks to their optimum height, the enclosures can be installed either on a tray or directly on the floor. That's both practical and convenient.

The glass for the enclosures in this collection is available in clear, tinted grey, brown, patterned, greenish, bluish and satin variations. Frames are grey.

Eight high-quality ball-bearings and specially designed aluminium framing ensure doors move smoothly and easily, which makes them simple to maintain. For a thorough cleaning of the shower, the sliding doors can be easily removed.





Shower enclosure LAIMA



Α		А		
В			<u> </u>	В
	Left side installed door		Right side installed door	

SHOWER ENCLOSURE	A (mm)	B (mm)	ENTRY WIDTH (mm)
110x80	1085-1100	785-800	530
120x80	1185-1200	785-800	580
130x80	1285-1300	785-800	630

Custom dimensions in the range of 1000... 1500 mm x 800... 1000 mm

- The standard height of LAIMA enclosure is 2000 mm.
- The maximum height is 2150 mm.
- Grey anodized aluminum profile.
- Glass panels are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- To switch the length and width, turn an asymmetrical shower enclosure that's being installed 180 degrees.




Shower enclosure RASA



SHOWER ENCLOSURE	A (mm)	B (mm)	ENTRY WIDTH (mm)
80x80	785-800	785-800	435-450
90x90	885-900	885-900	505-520
100x100	985-1000	985-1000	575-590


Custom dimensions in the range of 800... 1100 mm x 800... 1100 mm




- The standard height of RASA enclosure is 2000 mm. The maximum height is 2150 mm.
- Grey anodized aluminum profile.
- Glass panel are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- To switch the length and width, turn an asymmetrical shower enclosure that's being installed 180 degrees.
- Suitable for a shower tray of the specified dimensions.

Shower enclosure VAIVA







Left side installed door

Right side installed door

SHOWER ENCLOSURE	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	ENTRY WIDTH (mm)
90x70	885-900	685-700	545-560	480	345-360	480
90x80	885-900	785-800	545-560	480	445-460	480
90x90	885-900	885-900	545-560	480	545-560	480

Custom dimensions in the range of 500... 1200 mm

- The standard height of VAIVA enclosure is 2000 mm. The maximum height is 2150 mm.
- Grey anodized aluminum profile.
- Glass panels are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- To switch the length and width, turn an asymmetrical shower enclosure that's being installed
- The direction of opening VAIVA shower enclosure door is determined during installation.
- The door opens to the side of the wall wider than 885 mm.
- Suitable for use with the SIMAS 90x90 shower tray.










Shower door SVAJA



SHOWER DOOR	A (mm)	ENTRY WIDTH (mm)		
100	990-1020	420		
110	1090-1120	460		
120	1190-1220	550		
130	1290-1320	580		
140	1390-1420	650		
Custom dimensions in the range of				

1020... 1800 mm



- The standard height of SVAJA is 2000 mm. The maximum height is 2150 mm.
- Grey anodized aluminum profile.
- Glass panels are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- To switch the entry side, turn the sidewall 180 degrees.




Shower door SVAJA PLUS



SHOWER DOOR	A (mm)	ENTRY WIDTH (mm)
160	1590-1620	740
170	1690-1720	760
180	1790-1820	800
Custom dimensions in the range of		

1400... 2200 mm



- The standard height of SVAJA PLUS is 2000 mm. The maximum height is 2150 mm.
- Grey anodized aluminum profile.
- Glass panels are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.

More information about 4-wall shower enclosures from the SPACE collection

Using 2 additional panels will give you a 4wall cabin that you can set up without fixing it to a wall. The BRASTA GLASS range includes trays suitable for any such 4-wall shower enclosure. Shower tray prices are shown on pg. 81-82.

You can opt for a 4-wall shower enclosure with a tray - a shower box - if your bathroom walls and floor are not waterproof enough.

Shower boxes are easy to fix in place, whether against a wall or in another place of your choice. They can be set up in the middle of a room.

Gaskets along the entire mounting surface ensure a complete seal.

Shower boxes are ideal in log cabins, wood houses, country houses and other bathrooms where good waterproofing is not possible.

FOR A SHOWER BOX WITH GLASS WALLS:


- If you use a glass wall panel, be sure to indicate precisely where the tap will be attached or provide technical drawings, since the holes and cut-outs must be made at the factory.
- · Exact drilling coordinates should be given when ordering.



FOR A SHOWER BOX WITH WALLS OF 10 MM **HIGH-PRESSURE LAMINATE:**

- The wall panels are made of waterproof light grey or white 10 mm high-pressure laminate.
- Use of the additional wall panels will give you a complete 4wall cabin that you can set up without fixing it to a wall.
- Cut-outs are not made for the tap but are drilled into the panel during installation. A shower stand can also be attached anywhere on the panel.

Additional panels for VAIVA, LAIMA and RASA shower enclosures from the SPACE collection



WIDTH OF OPTIONAL WALL within the specified range	HEIGHT (mm)
80	
90	
100	2000
Custom dimensions in the range of 700 1049 mm	
Custom dimensions in the range of 1050 1500 mm	

- Maximum panel height is 2150 mm, maximum width is 1500 mm.
- This panel is not installed as a separate product.
- Glass panels are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- The VAIVA shower box can be installed on a SIMAS 90X90 tray.
- The RASA shower box can be installed on ROKAS 90X90 and LINAS 120X80 trays.
- The LAIMA shower box can be installed on a LINAS 120X80 tray.




Corner for 2 glass panels

Use of 2 additional panels will give you a full 4-wall cabin that you can set up without fixing it to a wall.

UNIVERSAL SIDEWALL PANEL OF 10 MM **HIGH-PRESSURE LAMINATE**



RASA shower enclosure with 1 wall panel VAIVA shower enclosure with 1 wall panel LAIMA shower enclosure with 1 wall panel










RASA shower enclosure with 2 wall panels VAIVA shower enclosure with 2 wall panels LAIMA shower enclosure with 2 wall panels



Corner for 2 laminate wall panels.

WIDTH OF OPTIONAL WALL within the specified range	HEIGHT (mm)
80	
90	
100	2000
Custom dimensions in the range of 700 1049 mm	
Custom dimensions in the range of 1050 1500 mm	

- Maximum panel height is 2150 mm, maximum width is 1500 mm.
- Grey anodized aluminium framing.
- This panel is not installed as a separate product.
- The VAIVA shower box can be installed on a SIMAS 90X90 tray.
- The RASA shower box can be installed on ROKAS 90X90 and LINAS 120X80 trays.
- The LAIMA shower box can be installed on a LINAS 120X80 tray.



BATH SCREENS

BATH SCREEN MIJA →

PHOTOS: Simoni Design Studio. Interior designer Rasa Simonytė.

Bath screen MIJA







Left side installed door

MIJA clear glass, RAL black-colour fittings





BATH SCREEN	ADJUSTMENT LIMITS A (mm)
70	695-708
80	795-808
90	895-908
100	995-1008

Custom dimensions vary in the range of 500...1000 mm.

- The standard height of MIJA is 1500 mm.
- The maximum screen height is 1700 mm.
- Screens are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- Bath screen MIJA is stable.
- When ordering a bath screen with patterned, satin, chinchilla glass, be sure to specify on which side it will be installed.
- The bath screen can be produced with black RAL fittings.




Bath screen MEDA



Right side installed door

Left side installed door



BATH SCREEN	ADJUSTMENT LIMITS A (mm)
70	699-702
75	749-752
80	799-802

Custom dimensions vary in the range of 500...1000 mm.

- The standard height of MEDA is 1500 mm.
- The maximum screen height is 1700 mm.
- Screens are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- When ordering a bath screen, be sure to specify on which side it will be installed.
- A bath screen with a non-rounded top corner can be produced upon request. In such case it becomes a custom made product.






Bath screen MAJA








Right side installed door







MAJA



RAL black-colour fittings

gold-colour fittings

BATH SCREEN	ADJUSTMENT LIMITS A (mm)
70	695-708
80	795-808
90	895-908
100	995-1008

Custom dimensions vary in the range of 500...995 mm.

- The standard height of MAJA is 1500 mm.
- The maximum screen height is 1700 mm.
- Screens are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- The bath screen folds both inwards and outwards.
- When ordering a bath screen with patterned / satin glass, be sure to specify on which side it will be installed.
- The bath screen can be produced with black- RAL or goldcoloured fittings.
- A bath screen with a non-rounded top corner can be produced upon request. In such case it becomes a custom made product.


Bath screen MAJA PLUS







Right side installed door Left side installed door










BATH SCREEN	ADJUSTMENT LIMITS A (mm)
70	695-710
80	795-810
90	895-910
100	995-1010
110	1095-1110

Custom dimensions vary in the range of 600...1095 mm

- The standard height of MAJA PLUS is 1500 mm.
- The maximum screen height is 1700 mm.
- Screens are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- Stable screen width in standard products is 350 mm. Other dimensions are also possible.
- When ordering a bath screen with patterned / satin / chinchilla glass, be sure to specify on which side it will be installed.
- The bath screen can be produced with black RAL fittings.
- A bath screen with a non-rounded top corner can be produced upon request. In such case it becomes a custom made product.





Bath screen BERTA







Right side installed door

Left side installed door



BATH SCREEN


80

90

100



BERTA clear glass, RAL black-colour fittings.



995-1008

Custom dimensions vary in the range of 500... 995 mm


- The standard height of BERTA is 1500 mm.
 The maximum screen height is 1700 mm.

- Screens are made of 6 mm tempered safety glass.
 The glass can be clear, tinted brown, grey, green or blue,
- The screen glass is divided into two equal parts.

 When ordering a bath screen with patterned, chinchilla, satin glass, be sure to specify on which side it will be
- The bath screen can be produced with black RAL fittings.







ADDITIONAL BATH SCREEN OPTIONS: **NON-STANDARD SOLUTIONS**

Our biggest difference is we can adapt to your needs and produce custom bath screens.

We find solutions for niches, attics and small bathrooms.

We design for ease of use, also considering how a screen opens and how it will be maintained. Our experience guarantees the stability, reliability and aesthetics of new designs.



- MAJA PLUS with extra sidewall panel
 - MAJA with extra sidewall panel



ADDITIONAL BATH SCREEN OPTIONS: RAL COLOURED FITTINGS

We can paint the bath screen of your choice in a RAL colour. See our RAL colour palette on p. 89.

How to choose a shower screen model?

The choice of a screen often depends not just on aesthetics, but also on the bathroom's size and the style and texture of the walls and floo.

RAL 9005 BLACK


Non-standard bath screen

SVAJA 2 PLUS,

clear glass, RAL black-colour fittings

PHOTOS: Simoni Design Studio. Interior designer Rasa Simonytė.





Tray

SIMAS cast stone shower tray

Tray dimensions (cm)	Tray height (mm)	Tray colour
90x90	135	white

- Set includes tray top, legs, front trim and 90 mm siphon.
- Tray top is made of cast stone.

LINAS cast stone shower tray

Tray dimensions (cm)	Tray height (mm)	Tray colour
120x80	135	white

- Set includes tray top, legs, front trim and 90 mm siphon.
- Tray top is made of cast stone.

IGNAS cast stone shower tray

Tray dimensions (cm)	Tray height (mm)	Tray colour
90x90	135	white

- Set includes tray top, legs, front trim and 90 mm siphon.
- Tray top is made of cast stone.
- Tray radius R 550.
- KATARINA, SONATA and JULIA can be mounted on this tray.

ROKAS cast stone shower tray

Tray dimensions (cm)	Tray height (mm)	Tray colour
90x90	135	white
100x100	135	white


- Set includes tray top, legs, front trim and 90 mm siphon.
- Tray top is made of cast stone.














Shower enclosure KRISTINA, with MANDALA ornament

Together with Lithuanian designers we have also created more ornaments. To transfer them onto glass, we use a special highquality adhesive film for ornaments. It is applied to the exterior of an enclosure. All our products, both standard and non-standard, can be decorated with these ornaments.

The ornaments are produced by screen printing. We can also decorate an enclosure or screen with an ornament of your own design matching the pattern of bathroom tiles or other interior details. We decorate only frameless shower enclosures and screens.



LUXURY. QUALITY. ELEGANCE.





ACROBAT collection shower enclosures and screens with **GOLD-COLOUR FITTINGS**

In a bathroom, too, when used subtly, it helps create a sense of style and distinction. Artfully combining this precious metal with other deep colours can turn even an ordinary room into a royal suite - gold pairs perfectly with colours like dark blue, warm brown, wine red, terracotta and emerald.

Gold can be the basis of a bathroom's interior design concept. Shower enclosures and screens adorned with gold fittings go very well alongside other gilded elements such as shower heads and handles or towel hooks and mirrors. With an interior approach of this type, your bathroom will radiate luxury.

We use fittings of this colour in our ACROBAT collection of shower enclosures. As the form of these enclosures radiates elegance, gold-colour fittings are most fitting for them.

The following products are available with goldcolour fittings:

- VIKTORIJA, KRISTINA, KATARINA shower enclosures
- GERDA, GRETA, RITA, DIJA, LAURA, MAJA, MIJA and KAJA shower and bath screens.

Gold-colour fittings are coated with a material that resists abrasion and the elements to avoid wear and ensure a long life.









How to maintain golden fittings?

To maintain the shine of golden fittings for as long as possible, we recommend simply wiping them with a soft dry cloth or towel after every use. If you clean them less frequently, goldcoloured fittings may lose their shine, in which case we recommend cleaning them with a 1:3 solution of vinegar and water. Place a cloth moistened with the solution on the goldcoloured fittings and allow it to sit for 15 minutes. Then wipe them with a damp cloth.

Do not use any cleaning or polishing agents that contain abrasives, as you could damage the coating. Repeat the moistening and wiping process as needed until the fittings are clean. Once all water and soap residue is removed, rinse thoroughly with clean water and wipe with a clean dry cloth until no water remains and the gold surfaces shine. Doing this will keep your gold bathroom fittings looking beautiful and new for years to come.

PRIVACY BAND

Privacy band involves a 70 cm (SECRET 70) or 100 cm (SECRET 100) matte band on a clear glass pane.

The band is always in the centre of a shower enclosure or screen, regardless of the height of the enclosure or screen.

Now you can combine privacy and transparency! We only use this technology for enclosures and screens with flat glass.

*Any model you choose can have a PRIVACY band.













Shower enclosures and screens can be painted in the RAL colour of your choice to give your bathroom special charm and

IMPORTANT!

Black RAL 9005 framing comes with black PVC gaskets – a bottom sweep and vertical gaskets with a magnet. Framing in all other colours comes with transparent PVC gaskets

only.

When you order a shower solution with fittings painted in a RAL colour of your choice, we can also paint bathroom accessories (towel hooks, mirror frames) in the same colour. Please enquire about pricing.

> **RAL 9005** Most popular colour

SIMONA

shower enclosures come with parts fully painted black.







NON-STANDARD SHOWER SCREEN of 8 mm glass with white RAL 9003 framing.





The EMA shower screen Painted framing around the entire perimeter.

The DIJA shower screen is available with gold-coloured framing.






GRETA PLUS clear glass, RAL black-colour fittings



GABIJA SOFT clear glass, RAL black-colour fittings





GRETA RITA clear glass, RAL black-colour fittings



TYPES OF GLASS

You can choose the glass for any shower enclosure from this range. The glass can be clear, frosted, tinted brown, grey, green or blue, or decorated with ornaments or with a privacy band.









6 and 8 mm CLEAR

6 mm FROSTED

8 mm CHINCHILLA

6 and 8 mm SECRET (privacy band)











6 and 8 mm SATIN

6 mm GREEN

6 mm BLUE

6 and 8 mm TINTED BROWN

6 and 8 mm TINTED GREY

CRYSTAL CLEAR OPTIWHITE GLASS - MORE NATURALNESS AND COLOUR PURITY

This glass is very widely used in architecture and design. The main difference between ordinary and Optiwhite glass is that the former has a greenish tint due to the way it's produced. Objects behind it also take on a noticeable greenish tint. Optiwhite is a low-iron, ultra-clear glass made using carefully selected raw materials.

KEY ADVANTAGES OF OPTIWHITE GLASS:

- Doesn't distort objects behind the glass
- Better, purer transmission of colour
- Maximum light transparency



^{*}Satin glass has a greenish tint. If you wish to avoid that, choose clear satin glass.

^{**}Products whose design requires 8 mm glass cannot be made with patterned, chinchilla, tinted green or blue glass.

NEW! Fluted glass for your shower solution

This patterned glass, revived from the 19th century, has come to be widely used over the last few years to fashion contemporary, clean-lined, bold interiors. So it is no surprise the trend has moved to the bathroom too, where the horizontal lines create unique optics and a balance of transparency and privacy. Shower solutions with grooves are sophisticated and eye-catching.

- SAvailable only in glass with a greenish tint.
- Glass thickness may only be 6 mm.
- Fluted glass is not available for all products. Ask when ordering.
- Using fluted glass increases the price of a product by 30%.



NFW! Mirrors.

Even more options and individuality for your bathroom.

A mirror is not just a cosy home accessory but also a vital feature of any bathroom. Frame the mirror in a colour and style mimicking those of your shower fittings. The stylish fusion will lend the bathroom subtle elegance. And now you can experiment without fear – Brasta Glass will make a mirror in the right size and proportions for your bathroom. Space opens up for new ideas!

- The mirror's metal frame can be black. chrome, gold, bronze or any other colour in the RAL palette.
- The metal construction is perfectly smooth and protected from environmental effects.
- Mirrors can be hung or attached to the wall with adhesive.
- Black lines border the shower enclosure's glass and mirror in a distinctive accent reflecting the fashionable industrial-style bathroom décor trend.
- Gold and bronze fittings create a special atmosphere which radiates tasteful luxury.







MIRRORS WITHOUT A FRAME

4/6 mm thickness	500 850	
RECTANGULAR SILVER MIRROR,	851 1200	
dimensions (mm)	1200 1600	
4/6 mm thickness	ø 400 750	
ROUND SILVER MIRROR,	ø 751 1100	
dimensions (mm)	ø1101 1410	

MIRRORS WITH A FRAME

SILVER 6 MM MIRROR	Chrome frameBlack frameGolden frame	Bronze frameRAL frame*	500 850
with a frame, dimensions (mm)			851 1200
difficusions (filifi)			1200 1600

^{*} A mirror's frame can be painted in the selected RAL colour only when also ordering a RAL painted shower solution.

MIRRORED GLASS for your bathroom

Small bathroom? A mirrored shower enclosure or bath screen will help enlarge it! It will create a unique interior for your bathroom, reflecting the interesting decoration of the wall in front and the room's aesthetically arranged furnishings and accessories. With the right arrangement of light fixtures, the mirrors will fill the space with light and create a unique shimmering effect. And if you hang another mirror in front of a mirrored shower enclosure or partition, you can enjoy the effect of infinite space!





Cleaning this type of shower enclosure is no challenge at all with the original, designer glass wiper (see pg 101).

The mirrored glass is made from tempered safety glass. We can produce either one wall panel of your choice or several stable wall panels. Mirrored glass is less light transmitting.

A mirrored shower screen is very functional, as there is rarely a free wall in the bathroom to hang a large mirror. Our customers have already come to love with this option!

NEW! TOWEL HOOKS

A tiny detail to complement your chosen shower solution, giving your bathroom perfect harmony and a refined aesthetic.

- Unique design
- Impeccable quality



TOWEL HOOKS

Mounts on the edge of the glass

- No holes needed in the glass
- Hook's location can be changed at









CODE: 5263662

CODE: 5263668

CODE: 5263665

TOWEL HOOKS

Screws into wall

- Elegant design
- Kit includes all parts needed for mounting.







CODE: 5263669



CODE: 5263666

TOWEL HOOKS

Attaches through a hole in the glass

- Maximum load <2 kg.
- Suited for 6-8 mm glass
- Hole diameter is 10 mm.
- Order together with the shower enclosure or screen, specifying the location for the hold.







CODE: 5263667



CODE: 5263664

If you are ordering a product with fittings painted in a RAL colour of your choice, we can also paint hooks the same colour.

DOOR HANDLES

If the standard handle that comes with a product does not suit you, you can purchase another that you like better from our assortment.



Handle code R001

Standard for ACROBAT and WITHOUT LIMITS collections



Handle code R001G

Handle code R009B

Supplied as standard with RAL9005 fittings in folding doors



Handle code R007G

Standard for SPACE collection



Handle code R002



Handle code R002B



Handle code R002G



Handle code R003

Standard for SLIDING and SLIDING SOFT collections



Handle code R0010B

Supplied as standard with RAL9005 fitting in folding and sliding doors and INDUSTRIAL STYLE collection.



Handle code R004 Standard for ELEGANCE collection



Handle code R014



Handle code R005


Matt

Handle code R006

Suitable for SLIDING SYSTEM only. These handles are not supplied with hinged doors or SLIDING SOFT system.



Handle code R008



Handle R003 used in nonstandart solution


NTERIOR: Goda Marija Zmejauskiene. Photographer: Leonas Garbacauskas.





GLASS WIPER

- This elegant, chrome-plated wiper will keep your shower enclosure or screen looking immaculate.
- You won't need chemicals or cleaners to maintain your shower enclosure – the wiper with its silicone blade clings firmly to the glass and removes every drop.
- This tool is extremely functional: you don't even have to think about where to store the wiper, as it's safe and convenient to leave right on the edge of the glass or on the handle!
- ✓ If the silicone blade wears out, it can be easily replaced, so the wiper will enjoy a long life.











INSTRUCTIONS FOR USE OF THE PRODUCT (GLASS SHOWER PARTITIONS):

- Protect the product's glass from mechanical damage by sharp objects.
- Do not place heavy objects on the installed product or exert strong physical force on it.
- Adhesive films should not be affixed to the product's glass panes.
- Clean the hinges, seals and glass panes with a glass cleaner.
- It should have a pH of between 4 and 10 i.e., do not use strong acidic or alkaline cleaners.
- Do not use microfibre cloths to clean the glass.
- When not in use, leave the door open for ventilation.
- Dry the glass with a soft cloth or glass wiper.



Products suitable for cleaning shower enclosures and screens:

- A rubber or polyurethane window wiper
- A soft synthetic sponge
- Liquid cleaning agents for cleaning windows and removing water deposits
- A solution of 5-10% citric or acetic acid

Not recommended for use in cleaning:

- Alkaline agents.
- Organic solvents (benzene, acetone, etc.).
- Formaldehyde.
- Formic or similar acids.
- Cleaning agents containing coarse particles.
- Cleaning agents containing dyes.



CUSTOM SHOWER ENCLOSURES AND SCREENS


Home solutions are constantly evolving. Every day they become more wide-ranging and intelligent, bringing more and more variety to home interiors. The bathroom is no exception. We aim to encourage individual style and creativity, which is why we're pleased to offer a range of custom options. BRASTA GLASS offers custom products worthy of being installed in even the most modern bathrooms. Experience of many years allows us to ensure the functionality and durability of our non-standard shower enclosures, which are just as good as our standard products. Smart solutions allow you to enjoy life more.

Custom shower enclosures and screens are our biggest pride and distinction.

Almost all our BRASTA GLASS shower enclosures and screens can be made to suit your needs and wishes. Our long experience enables us to assess not only the stability and practicality of enclosures we design, but also their aesthetics. In more than 25 years of operation, we've brought many quite complex solutions to life.



We can offer custom solutions for lofts, alcoves and non-standard room layouts.



Whenever you need a more complex solution for a recessed area, for an extra spacious enclosure with additional wall panels, or, conversely, for a very small bathroom, you'll need a product of custom design.

The consultants at BRASTA GLASS will help you find the best option. We'll design and manufacture an enclosure tailored to your specific needs.




IMPLEMENTED NONSTANDARD PROJECTS
























BRASTA GLASS Ltd

- Palemono st. 7B, LT-52158 Kaunas
- +370 670 00511
- info@brastaglass.com
- in Brasta glass
- Brasta glass
- www.brastaglass.lt