



TIME-TESTED AND STATE-OF-THE-ART SHOWER SOLUTIONS FOR THE BATHROOM

## BRASTA GROUP is an

international group of companies originating from Kaunas, Lithuania, since 1996.

BRASTA brand name englobes companies proficient in glass, paper, and isolating solutions. Our mission is to empower Customers to put the best contemporary solutions into practice, thus creating the greatest value, because our minds are set on mutual growth, constant innovation, and meeting expectations as a trustworthy business partner.

The values that BRASTA stands by and that are deeply embedded into our daily business culture are

и и и RESPONSIBILITY COOPERATION ASSISTANCE и и MASTERY RESULT-ORIENTATTION

## BRASTA GROUP is fully

compliant with contemporary business standards and is ISO (9001, 14001), Lean and FSM certified.



With over 260 employees, BRASTA

companies have extensive experience in producing and exporting to over 30 global destinations.



## BRASTA GLASS – reflecting your expectations

BRASTA GLASS is offering a large scope of glass solutions, producing glass partitions, screens, shower enclosures and a wide range of related products.

Being one of the most experienced and trustworthy provider of such solutions in the region,  $BRASTA\ GLASS$  can deliver precision, design customizable solutions in complex high-level projects and ensure flexibility when needed.

Always thinking long term in creating sturdy products and building strong partnerships, the company is ready to meet your expectations and grow together.



## EXTENDED WARRANTY FOR BRASTA GLASS PRODUCTS

With more than 25 years of experience, **BRASTA GLASS** ensures the exceptional level of quality at all manufacturing stages, and thus its shower screens and enclosures are covered by a FREE EXTENDED 7-year warranty.



### FAST DROPS - a useful discovery

All our shower enclosures and screens are coated with FAST DROPS coating.

Glass is one of the best materials for making shower enclosures: it's sturdy, highly resistant to the effects of household chemicals, and lets light pass through very well. Glass does not have water-repellent properties, though, so droplets don't run off completely but settle on the glass and then dry, leaving salt, calcium and soap stains. As impurities build up on it, glass becomes less transparent.

As the days go by, glass like that gets harder and harder to clean and the results less and less satisfying.

But when glass is (nano-)coated with FAST DROPS, water molecules no longer have direct contact with it.

The basis of the FAST DROPS coating is cerium oxide nanoparticles, which give the surface of the glass hydrophobic (i.e., water-repellent) properties. As a result, water drops run off the glass. Its surface repels them.

The FAST DROPS coating repels not just water but also impurities. So glass stays cleaner and more transparent, and cleaning it becomes much easier. Moreover, glass coated with FAST DROPS is also more scratch-resistant.



## **BRASTA GLASS UNIQUENESS**

 $> 7^{-}$ 

Successfully operating in the market for more than 25 years. We know different countries' market specifics: the Nordics, Eastern Europe, Western countries, and so on.



We offer a longer - 7-year - guarantee on our products because we're confident about the durability and long life of the materials we use.



Long experience in custom product design and production: thanks to our employees' professional expertise, we can bring even the most complex and unconventional solutions to life.



We've earned the trust of and work with: Hilton, RADISSON BLU, MARRIOTT, IBIS, DESIGN HOTELS and many others.



Unlike other products on the market, our standard practice is to treat all glass with the German "Fast Drops" superhydrophobic coating at no extra charge. That reduces build-up of residue on the glass and makes it easier to clean and more scratch resistant.

5	2

All our products are designed and produced in Europe.



We work directly with the customer to resolve any problems that arise – we advise, measure, do visualizations, and professionally install.



We use glass that is at least 6/8 mm thick in all our products, while other manufacturers use less-safe organic or 4-4.5 mm thick glass.



All the frames and hinges in our products are made of high-quality stainless steel, so they keep their shine longer and are more resistant to cleaning agents.



Multi-faceted design solutions: a variety of sizes, colours, fittings, ornaments, and so on.

Our team of professional installers can complete projects of varying sizes on time and to high standards.



## **IMPORTANT INFORMATION**


## The dimensions shown in the catalogue or price list beside wall or enclosure type are not the exact product dimensions!

The standard dimensions of shower enclosures and walls for installation on a standard sized tray, usually shown as 80x80, 90x90, 100x100, etc., are actually 7-25 mm smaller than the specified dimensions, since during installation the product is offset slightly from the edge of the tray (Fig. 1).

#### Exact shower solution dimensions are given in columns A, B and C of the catalogue or price list.

For example, if the shower tray is 90x90, then the actual dimensions of the shower enclosure will be  ${\sim}880x880\,\text{mm}.$ 

If you intend to mount a shower enclosure or wall directly on tiling (Fig. 2), it is important that the size of the product coincide exactly with the dimensions of the space prepared for mounting. In such a case, use the exact dimensions from columns A, B and C of the product tables.



Outer dimensions of the glass

Points where enclosure's edge should coincide with tile seam

## SYMBOLS USED



Accessible for people with disabilities

RAL colour fittings

Gold, brass-colour fittings



Hinges inset in glass, easy maintenance → 6/8 mm

Glass thickness (mm)

Fast Drops technology

Suitable for mounting on a tray

### CONTENTS

- 1 About Brasta Group
- 3 Warranty Fast drops
- 4 Brasta Glass uniqueness
- 5 Important information
- 7 Range of shower enclosures and screens
- 11 Industrial-style products
- 13 NERO FRAME collection
- 17 NERO CUBE collection
- 21 Shower screens
- 22 KAJA
- 23 DORA, DIJA
- 24 EMA
- 25 Walk-in showers BONA, NONA
- 26 LAURA
- 27 ACROBAT collection
- 29 PRISMA 5
- 30 PRISMA 6
- 31 ADDITIONAL SIDEWALL, KARINA
- 32 KRISTINA
- 33 VIKTORIJA, SONATA
- 34 ERIKA, ERIKA PLUS
- 35 SANDRA
- 36 LINA, GERDA
- 37 GRETA, GRETA PLUS
- 38 RITA, GODA
- 39 SIMONA
- 40 SIMA 41 KATARINA
- I KAIAMINA
- 43 WITHOUT LIMITS collection
- 44 Extra sidewall panel
- 45 LIEPA, JULIJA
- 46 NIDA

- 48 NORA, NORA PLUS
- 49 IEVA
- 50 IEVA PLUS
  - IEVA PLUS with additional wall panel
- 52 IRMA
- 53 ELEGANCE collection
- 55 LUKA, LORA
- 56 NINA PLUS, TINA PLUS
- 57 LUNA, AURORA
- 58 ANA PLUS, INA PLUS
- 59 AESTHETICS frameless sliding doors
- 60 VESTA
- 61 MILDA
- 62 GABIJA, GABIJA PLUS
- 64 SOFT frameless sliding doors
- 65 MILDA SOFT, GABIJA SOFT
- 66 GABIJA SOFT PLUS
- 67 SPACE collection
- 69 LAIMA, RASA
- 70 VAIVA
- 71 SVAJA, SVAJA PLUS
- 72 4- wall shower enclosures
- 75 Bath screens
- 76 MIJA, MEDA
- 77 MAJA, MAJA PLUS
- 78 BERTA
- 80 Additional bath screen options

- 83 Trays
- 85 Ornaments
- 87 Shower enclosures and screens with gold-colour fittings
- 89 Shower enclosures and screens with bronze colour fittings
- 91 RAL coloured fittings
- 97 Types of glass
- 98 Mirrored glass
- 99 Private band glass
- 100 NEW! Fluted glass. Mirrors
- 101 Door handles
- 102 NEW! Towel hooks
- 103 Glass wiper
- 104 Instructions for use
- 105 Nano coating and protection set
- 106 Limescale cleaner
- 107 Non-standard shower enclosures

### PRODUCT GUIDE: SHOWER ENCLOSURES



7 I BRASTA GLASS

### PRODUCT GUIDE: SHOWER ENCLOSURES, SLIDING SHOWER DOORS



### PRODUCT GUIDE: SHOWER DOORS



PRODUCT GUIDE: SHOWER WALL PANELS, 4-WALL SHOWER ENCLOSURES, BATH SCREENS, TRAYS





er enclosure VIKTORIJA

The new INDUSTRIAL STYLE collection of shower enclosures is like a protest against the culture of reckless consumption. Value lies in what is authentic. It's a quest for perfect functionality.

Mechanical and engineering solutions triumph. This is a return to the sources of the industrial revolution of the 19th century, when the first goal in manufacturing an item was perfect functionality and when widespread use of metal began and of glass as a timetested material. The stress is placed on product quality: quality materials are carefully chosen and the best methods devised in pursuit of simplicity and durability.

**BRASTA GLASS** is proud to present the industrial-style collection of shower enclosures as one of its masterpieces for the bathroom.

In bringing this product vision to life, initially we drew on the framework of the ACROBAT collection.

### FUNCTIONAL...

These are precision-engineered products with doors that can open both inwards and outwards and have an adjustable closing angle.

- Doors rise when opened and sit flush with the bathroom floor when closed.
- With their metal construction, shower enclosures and screens can be easily and reliably adapted for uneven walls and floors.
- Wall panels' inner side is coated with FAST DROPS, which reduces the amount of residue on the glass and so makes maintenance easier.
  - This door handle is used in the industrial-style collection:



HANDLE CODE R003B

#### ... AND STYLISH

- The black lines that frame the shower-enclosure glass are a distinctive accent reflecting a fashionable trend in bathroom decor. They cover the perimeter of the glass and divide it into rectangles.
- Metal constructions are perfectly smooth with a coating of black (or another desired colour) to protect them from the elements.
- The black colour of the magnetic seals matches the other elements of the shower's design.
  - The edges of the glass are decorated using the timetested and reliable method of silk-screen printing, which is done before the glass is tempered so the paint sets well during the tempering process and does not wear off over time. The width of the bands of black paint is 16 mm.

RAN

The NERO FRAME style can be adapted to any product, whether of standard or non-standard dimensions.



In NERO FRAME products, doors' perimeter is framed by a silk-screened band on the glass which creates a sense of geometrical completeness and expressiveness. That is the difference between this collection and RAL, where only the framing can be coloured (see p. 91).

The width of the bands framing each wall panel is 16 mm.





GRETA PLUS with additional sidewall





PHOTO: Interior - Doviles interjeras, photographer -Benas Sileika.

Shower wall GRETA PLUS **7** NERO FRAME collection




Shower wall DIJA NERO FRAME collection PHOTOS: Interior - MATILDA Studio, photographer -Photospike.



- We recommend using the NERO CUBE style for products with clear glass.
- Regardless of a product's dimensions, rectangles are arranged proportionally across the entire panel.
- The width of the silk-screened band is 16 mm.





19 I BRASTA GLASS





How to choose a shower screen model?

The choice of a screen often depends not just on aesthetics, but also on the bathroom's size and the style and texture of the walls and floor.

Shower wall EM

## DORA, KAJA

- ▶ When tiles have a pronounced relief
- When the wall has a decor element or mosaic that a screen would disrupt
- When a sense of lightness is desired
- Maximum height: 2250 mm

- EMA
- → When a high degree of stability is needed
- → When more room for adjustment is needed
- Sood when a wider or higher screen is desired
- Goes well with larger, heavier faucets

### DIJA

- → When the wall is very smooth
- For minimalism and elegance: wall and floor trimming are of equal width, giving the screen an aesthetic look that doesn't overshadow interior design.

Shower screen surfaces can be painted in RAL colours. For more information see p. 91-96.

## FRAMELESS SHOWER SCREENS

Frameless shower screen KAJA





SHOWER SCREEN	SCREEN WIDTH (MM)
80	795-798
90	895-898
100	995-998
110	1095-1098
120	1195-1198
130	1295-1298
140	1395-1398
Custom dimer of 600 1600	nsions in the range mm

- The standard height of KAJA shower screen is 2000 mm.
- The maximum height is 2250 mm.
- Screen fittings in shiny chrome.
- Glass colours: transparent, tinted brown or grey, satin.
- Screens are made of 8 mm tempered safety glass.
- The length of the top bracket that's included is 1000 mm.
- If a bracket of different length is required, that must be specified when ordering the product.
- A curb not included with shower screens.

## FRAMELESS SHOWER SCREENS

\*1

## Frameless shower screen DORA





SHOWER SCREEN	SCREEN WIDTH (MM)		
80	795-798		
90	895-898		
100	995-998		
110	1095-1098		
120	1195-1198		
130	1295-1298		
140	1395-1398		
Custom dimensions in the range of 600 1600 mm			

## Frameless shower screen DIJA



\*3



SHOWER SCREEN	SCREEN WIDTH (MM)		
80	795-801		
90	895-901		
100	995-1001		
110	1095-1101		
120	1195-1201		
130	1295-1301		
140	1395-1401		
Custom dimensions in the range of 600 1600 mm			

## Frameless shower screen EMA





SHOWER SCREEN	SCREEN WIDTH (MM)		
80	795-808		
90	895-908		
100	995-1008		
110	1095-1108		
120	1195-1208		
130	1295-1308		
140	1395-1408		
Custom d of 600 1	stom dimensions in the range 600 1600 mm		

- Screens differ depending on how they are attached to the wall.
- The standard height of DORA, EMA and DIJA shower screens is 2000 mm.
- The maximum height is 2250 mm.
- Wall fittings in shiny chrome.
- Glass colours: transparent, tinted brown or grey, patterned, bluish, greenish, chinchilla, satin.
- Screens up to 1100 mm wide are made of 6 mm tempered safety glass and wider ones of 8 mm tempered safety glass.
- Because patterned, chinchilla and green or blue tinted glass are only possible with a thickness of 6 mm, we do not make screens of those glass types wider than 1100 mm.
- When the height is changed and is less than 1000x2250 mm, screens are made of 6 mm glass.
- When the height is changed to more than 1000x2250 mm, screens are made of 8 mm glass.
- The length of the top bracket that's included is 1000 mm.
- If a bracket of different length is required, that must be specified when ordering the product.
- A curb not included with shower screens.

## IMPORTANT! All screens can be fitted in place with a corner bracket. We use the bracket for screens with a width of up to 1000 mm.


### WALK-IN KITS



### NONA shower screen



SHOWER SCREEN	A (mm)	B (mm)	
90	895-898	250	
100	995-998	250	
110	1095-1098	250	
Custom dimensions vary in the range of 8001300 mm			




- The standard height of NONA screen is 2000 mm.
- The maximum height is 2100 mm.
- Screen fittings in shiny chrome.
- Screens are made of 6 mm tempered safety glass.
- The glass can be clear, patterned, tinted brown, grey, green or blue, satin, chinchilla.
- A bracket with a length of 100 cm is included.
- The standard small screen B is 250 mm.
- A curb is not included with NONA screens.
- For widths of 1101 mm or more, 8 mm glass is used.




### BONA shower screen



SHOWER SCREEN	A (mm)	B (mm)		
140x90	1379-1384	879-881		
150x90	1479-1484	879-881		
160x90	1579-1584	879-881		
Custom dimensions vary in the range				






- The standard height of BONA screen is 2000 mm.
- The maximum height is 2100 mm.
- Screen fittings in shiny chrome.
- Screens are made of 6 mm tempered safety glass.
- The glass can be clear, patterned, tinted brown, grey, green or blue, satin, chinchilla.
- During installation, the BONA screen's entry can be narrowed or widened to up to 1000 mm.
- The dimensions of the enclosure's front will change accordingly.
- A curb is not included with BONA screens.

#### LAURA shower screen Left side installed door Right side installed door 7 LAURA without a handle The standard height of LAURA screen is 2000 mm. Screen fittings in shiny chrome. Screens are made of 6 mm tempered safety glass. The glass can be clear, patterned, tinted brown, grey, green or blue, • SHOWER A (mm) • SCREEN • • satin, chinchilla. satin, chinchila. Screen opens both inwards and outwards. A curb is not included with the product. If one is needed, should by specified when ordering. When ordering a screen of satin glass or with a privacy band, be sure to specify which side the screen will be mounted on. We can produce the LAURA shower screen without a handle. That must be specified when ordering and does not affect the product's final price. 90 866-875 • • 100 966 - 975 • 110 1066-1075

Custom dimensions vary in the range of 800..1100 mm

•

final price.





Acrobatics is a branch of gymnastics based on extreme flexibility, strength, agility and balance. The distinctive mark of the ACROBAT collection is its full-pivot hinges. Hence the name, since a shower enclosure with this type of hinge can be folded against the wall when not in use.

Another advantage of these enclosures is their door-lift feature. The door rises off the floor when opened, so the lower part of the shower is better sealed. Now that's an acrobatic trick, isn't it! The rising door feature is convenient for cleaning the floor as well and makes using the shower easier: the door holds in place when opened or closed.

The angle of the door when closed can be adjusted too! This feature ensures that shower doors "interface" with each other perfectly - so the separately installed wall panel sits flush against the tile surface.

The design of these enclosures is aesthetically pleasing, as there is trim only along the wall, with frameless edges everywhere else. So the bathroom feels more spacious.

And for the collection's final acrobatic trick: these shower enclosures function reliably and silently, and are firmly fixed to the wall.




# Shower enclosure PRISMA 5



The PRISMA 5 shower enclosure can be installed in bathroom spaces where a shower cabin usually wouldn't fit because of a window on one side.

When this folding, wallmounted enclosure is extended, it "envelops" the window, giving you enough space inside for comfortable use.





	A (mm)	B (mm)	C (mm)	<ul> <li>The standard height of PRISMA 5 enclosure is 2000 mm.</li> <li>Shower enclosure fittings in shiny chrome.</li> <li>Glass panels are made of 6 mm tempered safety glass.</li> <li>The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.</li> <li>Maximum door width is 500 mm.</li> </ul>
	Non- standard custom dimensions in the range of:		imensions	<ul> <li>Maximum dool width's boo min.</li> <li>The height can only be changed downwards.</li> <li>When ordering, be sure to specify whether dimension B is on the right side or the left.</li> <li>A curb is included with the product and installed when there is insufficient slope.</li> </ul>
B [mm]	800 1000	400 500	800 1100	<ul> <li>The widths of the stable wall panel D and the hinged door are equal. Dimension C is their combined width.</li> </ul>



# Shower enclosure PRISMA 6



The PRISMA 6 shower enclosure is ideal for small bathrooms where you want more space when the shower is not in use.

The U-shaped PRISMA 6 mounts on a flat wall and its front folds in.


It doesn't take up unnecessary space in the bathroom, at the same time adding a touch of luxury and modernity.

A (mm)	B (mm)	<ul> <li>The standard height of PRISMA 6 enclosure is 2000 mm.</li> <li>Shower enclosure fittings in shiny chrome.</li> <li>Glass panels are made of 6 mm tempered safety glass.</li> <li>The glass can be clear, tinted brown, grey, chinchilla, patterned, green or blue,</li> </ul>		D (mm)			D (mm)	
875-888	875-888	<ul> <li>satin, chinchilla, patterned.</li> <li>Maximum door width is 500 mm.</li> <li>The height can only be changed downwards.</li> </ul>	B (mm)			<u> </u>	-	L
975-988	975-988	<ul> <li>A curb is included with the product and installed when there is insufficient slope.</li> <li>The widths of the stable wall panel D and the hinged door are equal. Dimension</li> </ul>			$\mathcal{I}$			
Custom dimensions vary in the range: A - 9001000 mm, B - 9001100 mm		<ul> <li>B is their combined width.</li> <li>Upon request, the shower enclosure PRISMA 6 suitable for installing on a tray of your choice can be produced. That must be specified when ordering the product.</li> </ul>			 A (mm)			

### **EXTRA OPTION!**

An extra sidewall panel for ACROBAT models

- The standard height is 2000 mm. Glass panels are made of 6 and 8 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- With the additional sidewall, you can mount a two-wall enclosure directly on the wall.
- The result is a three-wall shower enclosure with entry from the side.
- In recesses, the additional wall panel can be used to increase the width of the shower door.
- The maximum wall panel height is 2250 mm.
- For widths of 250 mm or more, an extra top bracket is supplied with the panel.






### Shower enclosure KARINA



Left side installed door

Right side installed door




(A) 700...1100 x (B) 700...1100 mm

- The standard height of KARINA enclosure is ۰. 2000 mm. The maximum height is 2250 mm.
- Shower enclosure fittings in shiny chrome.
- н. Glass panels are made of 6 mm tempered safety glass.
- н. The glass can be clear, tinted brown, grey, chinchilla, patterned, green or blue, satin.
- . You can install the KARINA shower enclosure door on both the right and left side, except for the satin glass enclosures and the enclosures with the PRIVACY band.
- The KARINA shower enclosure can be . produced with black RAL fittings.
- When ordering the enclosure with satin glass or with a privacy band, be sure to specify on which side the door will be installed.

### Shower enclosure KRISTINA



ENCLOSURE	A (initi)	D (min)
80x80	779-788	779-788
90x90	879-888	879-888
100x100	979-988	979-988



Custom dimensions in the range of (A) 700...1000 x (B) 700...1000 mm.

- The standard height of KRISTINA enclosure is 2000 mm. The maximum height is 2250 mm.
- Shower enclosure fittings in shiny chrome.
- Glass panels are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- You can install the KRISTINA shower enclosure door on both the right and left side, except for the satin, chinchilla, patterned glass enclosures and the enclosures with the PRIVACY band.
- When ordering the enclosure with satin, chinchilla, patterned glass or with a privacy band, be sure to specify on which side the door will be installed.
- The KRISTINA shower enclosure can be produced with black RAL or gold-colour fittings.



KRISTINA clear glass, SECRET 100



KRISTINA clear glass, gold-colour fittings



KRISTINA clear glass, black-colour fittings







KRISTINA I NERO FRAME clear glass, industrial style.



### Shower enclosure VIKTORIJA





В

Threshold strip

10th Contraction of the contract

Custom dimensions in the range of (A) 700...1000 x (B) 700...1000 mm.

- The standard height of VIKTORIJA enclosure is 2000 mm. The maximum height is 2250 mm.
- Shower enclosure fittings in shiny chrome.
- . Glass panels are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned. .
- The VIKTORIJA shower enclosure door can open both inwards and outwards.
- The VIKTORIJA shower enclosure can be produced with black RAL fittings.
- The VIKTORIJA shower enclosure can be made of 8 mm tempered safety glass.



### Shower enclosure SONATA

		mm ↓↓↓
SHOWER ENCLOSURE	A (mm)	B (mm)
80x80	775-788	775-788
90x90	875-888	875-888
100x100	975-988	975-988
		6


Custom dimensions in the range of (A) 700...1000 x (B) 700...1000 mm.

- The standard height of SONATA enclosure is 1900 mm. .
- Shower enclosure fittings in shiny chrome. The height of the SONATA shower enclosure cannot be changed.
- Glass panels are made of 6 mm tempered safety glass. The glass can be clear, tinted brown, grey. .
- .
- The SONATA shower enclosure door can open both inwards and outwards. The SONATA shower enclosure can be produced with black RAL fittings. .
- The SONATA shower enclosure can be mounted on the IGNAS 90x90 tray. .
  - All shower enclosure models have an entrance width of 80 cm.

### Shower enclosure ERIKA



SHOWER ENCLOSURE	A (mm)	B (mm)
80x80	779-792	775-788
90x90	879-892	875-888
100x100	979-992	975-988



Custom dimensions in the range of (A) 700...1100 x (B) 700...1100 mm.

- The standard height of ERIKA enclosure is 2000 mm. The maximum height is 2250 mm.
- Shower enclosure fittings in shiny chrome.
- Glass panels are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- The standard door width is 600 mm.
- The ERIKA shower enclosure door can open both inwards and outwards.
- The ERIKA shower enclosure can be produced with black RAL fittings.



### Shower enclosure ERIKA PLUS



			A
SHOWER ENCLOSURE	A (mm)	B (mm)	
80x80	779-792	775-788	56
90x90	879-892	875-888	
100x100	979-992	975-988	
		6	



Left side

В




Custom dimensions in the range of (A) 700...1100 x (B) 700...1100 mm.

- The standard height of ERIKA PLUS enclosure is 2000 mm. The maximum height is 2250 mm.
- Shower enclosure fittings in shiny chrome.
- Glass panels are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- The standard door width is 600 mm.





SHOWER ENCLOSURE	A (mm)	B (mm)
80x80	775-788	780-790
90x90	875-888	880-890
100×100	975-988	980-990



Custom dimensions in the range of (A) 700...1000 x (B) 700...1200 mm.

- The standard height of SANDRA enclosure is 2000 mm. The maximum height is 2100 mm.
- .
- .


- The standard height of SANDRA enclosure is 2000 mm. The maximum height is 2100 mm. Shower enclosure fittings in shiny chrome. Glass panels are made of 6 mm tempered safety glass. The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned. When ordering the product, be sure to specify on which side the door will be installed. The maximum door leaf width is 1000 mm. The width of stable wall panel can be up to 1200 mm. The shower enclosure door is divided into two equal parts. .
- .
- The SANDRA shower enclosure can be produced with black RAL fittings. н.
- The SANDRA shower enclosure is available only with round handle.

### Shower enclosure SANDRA



### Shower enclosure LINA





Left side installed door

۱t	side	instal	led	door	

SHOWER ENCLOSURE	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)
80x80	779-788	779-788	450	475	450
90x90	879-888	879-888	450	615	450
100x100	979-988	979-988	550	615	550

Custom dimensions in the range of (A) 700...1000 x (B) 700...1000 mm.


- The standard height of LINA enclosure is 2000 mm. The maximum height is 2250 mm.
- Shower enclosure fittings in shiny chrome. .
- Glass colours: transparent, tinted brown or grey, patterned, bluish, greenish, chinchilla, satin. The standard door width is 600 mm. .
- .
- . The LINA shower enclosure door can be installed on both the right and left side, except for the satin, patterned, chinchilla glass enclosures and the enclosures with privacy band.
- When ordering an enclosure with satin, patterned, chinchilla glass, be sure to specify on which side . the door will be installed.
- The LINA shower enclosure is not meant for mounting on pentagonal SIMAS (or any other producer) . tray. If you choose to mount the LINA shower enclosure on a tray, please specify before ordering the product.
- The LINA shower enclosure can be produced with black RAL fittings.

### Shower door with wall panel GERDA

	}← n
--	---------

SHOWER DOOR	A (mm)
80	790-815
90	890-915
100	990-1015
110	1090-1115
120	1190-1215
130	1290-1315
140	1390-1415

Custom dimensions in the range of 800... 1600 mm




- The standard height of GERDA door is 2000 mm. . The maximum height is 2250 mm.
- Shower door fittings in shiny chrome. .
- Glass panels are made of 6 mm tempered safety . glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- The shower wall door can open both inwards and . outwards.
- The GERDA shower door can be produced in . black RAL fittings.
- The GERDA shower enclosure is also available in . gold-coloured fittings.








### Shower door GRETA





Custom dimensions in the range of 711... 1000 mm


- The standard height of GRETA door is 2000 mm. The maximum height is 2250 mm. .
- Shower door fittings in shiny chrome. .
- Glass panels are made of 6 tempered safety glass. The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned. The shower wall door opens both inwards and outwards.
- .
- When ordering a door with satin glass or PRIVACY band, be sure to specify on which side the . door will be installed.
- . The GRETA shower door can be produced in black RAL fittings.



### Shower door with wall panel GRETA PLUS



SHOWER DOOR	A (mm)
90	896-911
100	996-1011
110	1096-1111
120	1196-1211




Custom dimensions in the range of 800... 1600 mm

- The standard height of GRETA PLUS door is 2000 mm. The maximum height is 2250 mm. Shower door fittings in shiny chrome.
- .
- Glass panels are made of 6 and 8 mm tempered safety glass. .
- For widths of 1200 mm or less, the glass thickness is usually 6 mm.
- For widths of 1200 mm or more, the stable wall panel is made of 8 mm glass thickness and the door is made of 6 mm glass thickness. The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- The shower door can open both inwards and outwards. .
- . The standard door width is 600 mm.
- The GRETA PLUS shower door can be produced in black RAL fittings.

### Shower door with wall panel GODA

Ć	Ŝa.								→ T← 6 mm	
---	-----	--	--	--	--	--	--	--	--------------	--

SHOWER DOOR	A (mm)
70	689-704
80	789-804
90	889-904



Custom dimensions in the range of 600... 1000 mm

- The standard height of GODA door is 2000 mm. The maximum height is 2100 mm. .
- . Shower door fittings in shiny chrome.
- .
- Glass panels are made of 6 mm tempered safety glass. The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned. When ordering the shower door, be sure to specify on which side it will be installed. The GODA shower door can be produced in black RAL fittings. .
- .
- \* The doors can be divided into two equal parts. That must be specified when ordering the product.
- The standard door width is 600 mm. .


GODA with door seaments of different width 7

### Shower door with wall panel RITA

	→ ↓ ← 8 mm
SHOWER DOOR	A (mm)
90	895-911
100	995-1011

110

120



Custom dimensions in the range of 800... 1600 mm

- The standard height of RITA door is 2000 mm. The maximum height is 2250 mm. н.
- .

1095-1111

1195-1211

- .
- Shower door fittings in shiny chrome. Glass panels are made of 6 and 8 mm tempered safety glass. For widths of 1200 mm or less, the glass thickness is usually 6 mm. For widths of 1200 mm or more, the stable wall panel is made of 8 mm glass thickness and the . door is made of 6 mm glass thickness.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned. The standard door width is 600 mm.
- .
- . The shower door can open both inwards and outwards.
- . When ordering the door with satin glass or privacy band, be sure to specify on which side the door will be installed.
- The RITA shower door can be produced in black RAL fittings.







### Shower enclosure SIMONA




### There are 2 types of SIMONA shower enclosures:


1. With both doors divided into two equal parts which when folded inwards do not protrude.

2. With standard 600 mm wide door and a stable wall panel whose width depends on the dimensions of the shower enclosure you choose. When the doors are folded inwards, part of them protrudes outside the enclosure; their folded seam does not obstruct the faucet.





Threshold strip





SHOWER ENCLOSURE	A (mm)	B (mm)
80x80	775-788	775-788
90x90	875-888	875-888
100x100	975-988	975-988

Custom dimensions in the range of (A) 700... 1000 x (B) 700... 1000 mm

- .
- .
- .
- The standard height of SIMONA enclosure is 2000 mm. The maximum height is 2100 mm. Shower enclosure fittings in shiny chrome. Glass panels are made of 6 mm tempered safety glass. The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned. The shower enclosure door can be divided into two equal parts (as shown on the photo on the left). That must be specified when ordering the product. .
- The SIMONA shower enclosure can be produced with black RAL fittings. .

### Shower enclosure SIMA



### There are 2 types of SIMA shower enclosures:

1. With both doors divided into two equal parts: the widths of each stable wall panel and hinged door are the same.

2. With standard 600 mm wide door and a stable wall panel whose width depends on the dimensions of the shower enclosure you choose. When the doors are folded inwards, they will not lay flat against the wall panel.

$\rightarrow$ $\leftarrow$ 6 mm	
В	A <u>µ 19 mm</u>
Threshold strip +	
В	A V µ19mm
Threshold strip 🗍 19 mm	



SHOWER ENCLOSURE	A (mm)	B (mm)
80x80	780-790	780-790
90x90	880-890	880-890
100x100	980-990	980-990

Custom dimensions in the range of (A) 700... 1100 x (B) 700... 1100 mm

- .
- н.
- н.
- •
- The standard height of SIMA enclosure is 2000 mm. The maximum height is 2250 mm. Shower enclosure fittings in shiny chrome. Glass panels are made of 6 mm tempered safety glass. The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned. The shower enclosure door can be divided into two equal parts (as shown on in the photo on the right). That must be specified when ordering the product. The SIMA shower enclosure can be produced with black PAL fittings. .
- The SIMA shower enclosure can be produced with black RAL fittings.
- The SIMA shower enclosure is not available in gold-coloured fittings. .



### **KATARINA** shower enclosure





SHOWER ENCLOSURE	A (mm)	B (mm)
80x80	775-788	775-788
90x90	875-888	875-888
100x100	975-988	975-988

.

.

- The height of the KATARINA shower enclosure cannot be changed. The standard height of KATARINA enclosure is 1900 mm. Shower enclosure fittings in shiny chrome. Glass panels are made of 6 mm tempered safety glass. The glass can be clear, tinted brown, grey, satin. The KATARINA shower enclosure door can open both inwards and outwards. . . .
- .
- .
- .
  - The KATARINA shower enclosure can be produced with black RAL fittings.
  - The KATARINA shower enclosure can be produced with goldcoloured fittings.





# WITHOUT LIMITS COLLECTION OF SHOWER ENCLOSURES AND SCREENS

The WITHOUT LIMITS collection combines glass wall panels and chrome-plated holders in frameless constructions that create a new sense of space. The large choice of standard products and ability to realise nonstandard ideas lets you enhance any bathroom with a shower enclosure of exceptional design.

Hinges are specially designed for durability and to ensure doors stay in place and have a self-closing feature. Sturdy additional glass holders make the structure safe and stable. Gaskets adhere tightly, so the shower enclosure is watertight and has an aesthetically pleasing appearance.

The glass for shower enclosures in this collection are available in clear, tinted grey, brown, patterned, greenish, bluish, satin, with decorative elements, or with a privacy band.



### VALUABLE OPTION!


EXTRA SIDEWALL PANEL FOR WITHOUT LIMITS MODELS

- The standard height is 2000 mm. The maximum height of the extra sidewalls is 2100 mm.
- Screens are made of 6 mm or 8 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.



### EXTRA SIDEWALL PANEL (L) for:


NORA and NORA PLUS (pg. 48)



- With an extra sidewall panel, NORA and NORA PLUS shower enclosures can be mounted directly on the wall.
- The result is a three-wall shower enclosure with entry from the side.

### EXTRA SIDEWALL PANEL (L) for:

IEVA and IEVA PLUS (pg. 49-50)





- For widths of 250 mm or more, an extra top bracket is supplied with the panel.
- When ordering the product, be sure to specify on which side it will be installed.



### Shower enclosure LIEPA








- The standard height of LIEPA enclosure is 2000 mm. The maximum height is 2100 mm.
- Shower enclosure fittings in shiny chrome.
- Glass panels are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- The LIEPA shower enclosure doors can open both inwards and outwards.

### Shower enclosure JULIJA







SHOWER ENCLOSURE	A (mm)	B (mm)
90x90	879-884	879-884

- The standard height of JULIJA enclosure is 1900 mm.
- The height of the JULIJA shower enclosure cannot be changed.
- Shower enclosure fittings in shiny chrome.
- Glass panels are made of 6 mm tempered safety glass.
- The glass can be clear.
- The JULIJA shower enclosure doors can open both inwards and outwards.








### Shower enclosure NIDA





SHOWER ENCLOSURE	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)
80x80	783-788	783-788	450	475	450
90x90	883-888	883-888	450	615	450
100x100	983-988	983-988	550	615	550

Custom dimensions in the range of (A) 700...1000 x (B) 700...1000 mm.

- The standard height of NIDA enclosure is 2000 mm. .
- х.
- .
- The maximum height is 2100 mm. Shower enclosure fittings in shiny chrome. Glass panels are made of 6 mm tempered safety а. glass. The glass can be clear, tinted brown, grey, green or
- . blue, satin, chinchilla, patterned.
- The NIDA shower enclosure door can be installed • on both the right and left side, except for the enclosures with patterned, satin or chinchilla glass.
- When ordering an enclosure with satin, chinchilla, • patterned glass or privacy band, be sure to specify on which side the door will be installed.
- The standard NIDA shower enclosure is not meant for mounting on pentagonal SIMAS (or any other producer) tray.
- Upon request, the shower enclosure NIDA suitable • for installing on a tray of your choice can be produced. That must be specified when ordering the product.



47 I BRASTA GLASS


Shower enclosure NORA

### Shower enclosure NORA



SHOWER ENCLOSURE	A (mm)	B (mm)	
80x80	779-784	779-784	
90x90	879-884	879-884	
100x100	979-984		
Custom dimensions in the range of			

(A) 700...1000 x (B) 700...1000 mm



The standard height of NORA enclosure is 2000 mm. The maximum height is 2100 mm.

- Shower enclosure fittings in shiny chrome.
- Glass panels are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- The NORA shower enclosure door can be mounted on both the right and left side of the enclosure (except for enclosures with patterned, satin, chinchilla glass or privacy band).
- When ordering a wall panel with patterned, satin, chinchilla glass or privacy band, be sure to specify on which side the door will be installed.



### Shower enclosure NORA PLUS

		← 1			٥		٨	
	SHOWER ENCLOSURE	A (mm)	B (mm)		A		A	1
	80x80	779-784	779-784	В				В
	90x90	879-884	879-884					
	100x100	979-984	979-984	Ŀ		<u>j Threshold strip</u> 19 mm		-
Custom dimensions in the range of (A) 7001100 x (B) 7001100 mm				Left side installed door	Rig	ht side installed door		

- The standard height of VITA PLUS enclosure is 2000 mm. The maximum height is 2100 mm.
- Shower enclosure fittings in shiny chrome
- Glass panels are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- The standard door width is 600 mm.
- The width of the 80x80 shower enclosure's door is 550 mm.
- The NORA PLUS shower enclosure door can be installed on both the right and left side of the enclosure (except for enclosures with patterned, satin, chinchilla glass or privacy band).
- When ordering a wall with patterned, satin, chinchilla glass or privacy band, be sure to specify
  on which side the door will be installed.
- The shower enclosure is also available in larger dimensions.








### IEVA shower door with wall panel



SHOWER DOOR	A (mm)	
60	597-603	
70	697-703	
80	797-803	
90	897-903	
Custom dimensions in the range of 603 1000 mm		




- .
- .
- .
- .
- The standard height of IEVA door is 2000 mm. The maximum height is 2100 mm. Shower door fittings in shiny chrome. Glass panels are made of 6 tempered safety glass. The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned. The shower door opens both inwards and outwards. When ordering a door with satin glass or privacy band, be sure to specify on which side the door will be installed.
- To switch the door opening direction, turn the mounting door 180 degrees. (except wall panels with patterned, chinchilla, satin glass or privacy band). .

### IEVA PLUS shower door with wall panel








- The standard height of IEVA PLUS door is 2000 mm. The maximum height is 2100 mm.
- Shower door fittings in shiny chrome.
- Glass panels are made of 6 and 8 mm tempered safety glass.
- For widths of 1200 mm or more, the stable wall panels are made of 8 mm and the doors of 6 mm glass thickness.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned glass or privacy band.
- The standard door width is 600 mm.
- When ordering a wall panel with patterned / satin / chinchilla / privacy band, be sure to specify . on which side the door will be installed.
- To switch the door opening direction, turn the mounting door 180 degrees. (except wall panels with patterned, chinchilla, satin glass or privacy band).

### IEVA PLUS shower door with additional wall panel

SHOWER DOOR	A (mm)		
120	1197-1205		
130	1297-1305		
140	1397-1405		
150	1497-1505		
160	1597-1605		
Custom dimensions in the range of			




1205... 2200 mm

- The standard height of IEVA PLUS door is 2000 mm. The maximum height is 2100 mm.
- Shower door fittings in shiny chrome.
- Glass panels are made of 6 and 8 mm tempered safety glass. .
- For widths of 1200 mm or more, the stable wall panels are made of 8 mm and the doors of 6 mm glass thickness.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned glass or with a privacy band.
- The standard door width is 600 mm.
- To switch the door opening direction, turn the mounting door 180 degrees. (except wall panels with patterned, satin glass or privacy band). When ordering a wall panel with patterned / satin / chinchilla glass or privacy band, be sure to
- . specify on which side the door will be installed.












### IRMA shower door with wall panel



SHOWER DOOR	A (mm)
90	897-905
100	997-1005
110	1097-1105
120	1197-1205
	·

Custom dimensions in the range of 800... 1600 mm



- .
- •
- •
- The standard height of IRMA door is 2000 mm. The maximum height is 2100 mm. Shower door fittings in shiny chrome. Glass panels are made of 6 and 8 mm tempered safety glass. For widths of 1200 mm or more, the stable wall panels are made of 8 mm and the doors of 6 mm glass thickness. •
- н. The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned glass or with a privacy band.
- н.
- The standard door width is 600 mm. To switch the door opening direction, turn the mounting door 180 degrees. (except wall panels with patterned, satin glass or privacy band). When ordering a wall panel with patterned / satin / chinchilla glass or privacy band, be sure to specify on which side the door will be installed. .



# **ELEGANCE COLLECTION** of shower enclosures and shower screens




### HERE ARE SEVERAL OF THE PRODUCTS' KEY ACCENTS:

**1. Glass integrated into the hinge.** The hinge is flush with the glass inside the shower enclosure, thanks to a special form of attachment. That gives the product a modern look and makes cleaning easier.

**2. More adjustment options.** Stable glass panels are attached to the wall via high-quality aluminium framing. Wall unevenness of up to 15 mm can be easily offset. Aesthetics are excellent thanks to the framing's special gloss and finishing details and the matching finish of the screw caps.

**3. Excellent seal, easy maintenance.** Hinges are equipped with a lifting feature which allows the door to clear the curb in front of it more easily and, in the closed position, seals the door better. The glass is coated with FAST DROP coating, which repels water and deposits and is more scratch resistant.

4. Standard framing for this collection: chrome, matte black, gold.





The products in this collection were first developed for the German market in collaboration with product specialists in that country.


### EXTRA OPTION FOR PRODUCTS IN THE ELEGANCE, FRAMELESS SLIDING AND SOFT CLOSE COLLECTIONS!

### EXTRA SIDEWALL PANEL FOR SHOWER ENCLOSURES AND SCREENS

- The standard height is 2000 mm. The maximum wall panel height is 2250 mm.
- Panels are made of 6 and 8 mm tempered safety glass.
- Since patterned, chinchilla and green or blue tinted glass are only available in 6 mm thickness, we do not make product whose construction requires 8 mm glass with those glass types.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- With the additional sidewall, you can mount a two-wall enclosure directly on the wall.
- The result is a three-wall shower enclosure with entry from the side.
- In recesses, the additional wall panel can be used to increase the width of the shower door.



panel












# Shower enclosure LUKA




SHOWER ENCLOSURE	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)
80x80	775-788	775-788	450	475	450
90x90	875-888	875-888	450	615	450
100x100	975-988	975-988	550	615	550

Custom dimensions in the range of (A) 700...1000 x (B) 700...1000 mm

- The standard height of LUKA enclosure is 2000 mm. The maximum height is 2100 mm.
- Shower enclosure fittings in shiny chrome.
- Glass panels are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned. н.
- When ordering the product, be sure to specify on which side the door will be installed. .
- Upon request, the LUKA shower enclosure suitable for installing on a tray of your choice can be . produced. That must be specified when ordering the product.
- The LUKA shower enclosure can be mounted on the SIMAS 90x90 tray.

### Shower enclosure LORA

O <sup>¦</sup>   i  <sub>1</sub> <sub>0</sub> → ↓ ← 6 mm				
SHOWER ENCLOSURE	A (mm)	B (mm)		
80x80	775-788	775-788		
90x90	875-888	875-888		
100x100	975-988	975-988		
Custom dimensions in the range of				



(A) 700...1100 x (B)700...1100 mm

- The standard height of LORA enclosure is 2000 mm. The maximum height is 2100 mm.
- Shower enclosure fittings in shiny chrome. .
- Glass panels are made of 6 mm tempered safety glass.
- The standard door width is 600 mm.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- The hinge can divide the door into 2 parts according to your desired dimensions. That must be specified when ordering the product.
- If you want doors of other dimensions, specify that when ordering.
- If you order a product with different A and B edges, be sure to specify which edge will be installed on . which side.



### Shower enclosure NINA PLUS

	→ 6 mm
--	-----------

SHOWER ENCLOSURE	A (mm)	B (mm)	A	_
80x80	775-788	775-788		
90x90	875-888	875-888	В	
100x100	975-988	975-988		Threshold s
	ensions in the ra 0 x (B) 7001100	Left side installed doo		


- The standard height of NINA PLUS enclosure is 2000 mm. The maximum height is 2100 mm.
- Shower enclosure fittings in shiny chrome.
- Glass panels are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- The standard door width is 600 mm.
- When ordering the product, be sure to specify on which side the door will be installed.

# Shower door with wall panel TINA PLUS



SHOWER DOOR	A (mm)		
90	895-907		
100	995-1007		
110	1095-1107		
120	1195-1207		
Custom dimensions in the range of			

the range c (A) 800... 1600 mm



A

Right side installed door

В

- The standard height of TINA PLUSS door is 2000 mm. The maximum height is 2100 mm.
- Shower door fittings in shiny chrome.
- Glass panels are made of 6 and 8 mm tempered safety glass. .
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned. •
- The standard door width is 600 mm. ÷.,
- For widths of 1200 mm or less, the glass thickness is usually 6 mm. н.
- For widths of 1200 mm or more, the stable wall panel is made of 8 mm glass thickness and the door is made of 6 mm glass thickness.










### **NEW!** Shower enclosure LUNA






SHOWER ENCLOSURE	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)
80x80	783-788	783-788	450	475	450
90x90	883-888	883-888	450	615	450
100x100	983-988	983-988	550	615	550

Custom dimensions in the range of (A) 700...1000 x (B) 700...1000 mm

- The standard height of LUNA enclosure is 2000 mm. The maximum height is 2100 mm.
- Shower enclosure fittings in shiny chrome.
- Glass panels are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- When ordering the product, be sure to specify on which side the door will be installed.
- Upon request, the LUNA shower enclosure suitable for installing on a tray of your choice can be produced. That must be specified when ordering the product.
- The LUNA shower enclosure can be mounted on the SIMAS 90x90 tray.

### **NEW!** Shower enclosure AURORA

	$\overrightarrow{\bullet}$	
SHOWER ENCLOSURE	A (mm)	B (mm)
80x80	779-784	779-784
90x90	879-884	879-884
100x100	979-984	979-984
Custom dim	ensions in the ra	inge of




Custom dimensions in the range of (A) 700...1100 x (B) 700...1100 mm

- The standard height of AURORA enclosure is 2000 mm. The maximum height is 2100 mm.
- Shower enclosure fittings in shiny chrome.
- Glass panels are made of 6 mm tempered safety glass.
- The standard door width is 600 mm.
- The hinge can divide the door into 2 parts according to your desired dimensions. That must be specified when ordering the product.
- If you want doors of other dimensions, specify that when ordering.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- If you order a product with different A and B edges, be sure to specify which edge will be installed on which side.

### **NEW!** Shower enclosure ANA PLUS

		→ 6 mm
--	--	-----------

SHOWER ENCLOSURE	A (mm)	B (mm)		А	
80x80	779-784	779-784			
90x90	879-884	879-884	В		
100x100	979-984	979-984	<u>- r</u>		Threshold 19 mm
	ensions in the ra 0 x (B) 700110		left	side installed do	



- The standard height of ANA PLUS enclosure is 2000 mm. The maximum height is 2100 mm.
- Shower enclosure fittings in shiny chrome.
- Glass panels are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- The standard door width is 600 mm.
- When ordering the product, be sure to specify on which side the door will be installed.


# 

### **NEW!** Shower door with wall panel INA PLUS



SHOWER DOOR	A (mm)
90	897-905
100	997-1005
110	1097-1105
120	1197-1205
Custom dimensi	ons in the range of

Custom dimensions in the range of (A) 800... 1600 mm



- The standard height of INA PLUS door is 2000 mm. The maximum height is 2100 mm.
- Shower door fittings in shiny chrome.
- Glass panels are made of 6 and 8 mm tempered safety glass.
- For widths of 1200 mm or less, the glass thickness is usually 6 mm.
- For widths of 1200 mm or more, the stable wall panel is made of 8 mm glass thickness and the door is made of 6 mm glass thickness.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- The standard door width is 600 mm.
- When ordering the product, be sure to specify on which side the door will be installed.






### AESTHETICS OF FRAMELESS SLIDING DOORS

Sliding doors are a classic feature of shower enclosures and screens. They're a convenient and stylish shower solution that especially come in handy when there's no space for opening a door.

Our "Milda", "Vesta", "Gabija" and "Gabija Plus" products are an excellent example of modern bathroom solutions.

A minimal curb that doesn't draw attention, a quiet and smoothly functioning mechanism, and a system for stopping the door in its closed or open position all make our sliding-door system pleasant and easy to use. The lightweight frameless design doesn't overburden the room, maintaining a sense of spaciousness.

These products will enhance your bathroom and put a smile on your face!



### FRAMELESS SLIDING DOOR WITH BLACK FITTINGS

MILDA RAL 9005 matte GABIJA RAL 9005 matte VESTA RAL 9005 matte



### Shower enclosure VESTA



SHOWER ENCLOSURE	A (mm)	B (mm)	ENTRY WIDTH (mm)		A
80x80	780-800	780-800	415-455		
90x90	880-900	880-900	485-525	В	1
100x100	980-1000	980-1000	555-595		Threshold strip
	ensions in the ra 00 x (B) 800 110		397-595		· / / 19 mm

- The standard height of VESTA enclosure is 2000 mm. The maximum height is 2100 mm.
- Shower enclosure fittings in shiny chrome.
- Glass panels are made of 6 and 8 mm tempered safety glass.
- Stable glass panel is made of 8 mm glass. The door is made of 6 mm glass.
- The glass can be clear, tinted brown, grey, satin.
- The maximum door leaf width is 595 mm.






### Shower enclosure MILDA



SHOWER ENCLOSURE	A (mm)	B (mm)	ENTRY WIDTH (mm)	[
110x80	1090-1110	795-805	470-500	
120x80	1190-1210	795-805	520-550	-
130x80	1290-1310	795-805	570-600	ir
Custom dim	nensions in the r	ange of		



ustom dimensions in the range of (A) 1000... 1600 x (B) 800... 1100 mm


- ÷
- ÷
- н.
- The standard height of MILDA enclosure is 2000 mm. The maximum height is 2100 mm. Shower enclosure fittings in shiny chrome. The glass can be clear, tinted brown, grey, satin. Stable glass panel is made of 8 mm glass. The door is made of 6 mm glass. The maximum door leaf width is 750 mm. The enclosure doors can be mounted on both the right and left side (except for satin glass or privacy band enclosures). When ordering a panel with satin glass or privacy band, be sure to specify on which side the door will be installed.

### Shower sidewall GABIJA



SHOWER DOOR	A (mm)	ENTRY WIDTH (mm)
100	990-1010	410-440
110	1090-1110	460-490
120	1190-1210	510-540
130	1290-1310	560-590
140	1390-1410	610-640

WIEW FROM THE TOP Wall mounting on magnets



Custom dimensions in the range of (A) 1010... 1600 mm

- The standard height of GABIJA is 2000 mm. The maximum height is 2100 mm.
- .
- Shower sidewall fittings in shiny chrome. The glass can be clear, tinted brown, grey, satin. .....
- Stable glass panel is made of 8 mm glass. The door is made of 6 mm glass. .
- The maximum door leaf width is 750 mm.

Shower sidewall GABIJA PLUS


- The sidewall doors can be mounted on both the right and left side (except for satin glass or privacy . band sidewalls).
- When ordering a sidewall with satin glass or privacy band, be sure to specify on which side the door will be installed.
- For widths of 1600 mm or more, an extra top bracket is supplied with the panel installed at a steep . angle inside the sidewall.



### SHOWER DOOR ENTRY WIDTH (mm) A (mm) 140 1390-1410 640 150 1490-1510 690 1590-1610 160 740 Custom dimensions in the range of (A) 1410... 2000 mm







- The standard height of GABIJA PLUS is 2000 mm. The maximum height is 2100 mm.
- Shower sidewall fittings in shiny chrome. -
- The glass can be clear, tinted brown, grey, green, satin. Stable glass panels is made of 8 mm glass. The door is made of 6 mm glass. .....
- When ordering a sidewall with satin glass or privacy band, be sure to specify on . which side the door will be installed.
- For widths of 1600 mm or more, an extra top bracket is supplied with the panel installed at a steep angle inside the sidewall.



# **SOFT** FRAMELESS SLIDING DOORS

We are pleased to introduce SOFT sliding doors, whose frameless construction will enhance your bathroom and whose practical and reliable SOFT-close mechanism will delight you every time you use it.



### ADVANTAGES OF SOFT FRAMELESS SLIDING DOORS:

- *SOFT* doors use top-quality framing and precision guide tracks which ensure durability.
- This frameless sliding-door technology includes the SOFT-close self-closing feature, which ensures doors open and close gently, quietly and safely.
- *SOFT* doors come with chrome fittings as standard. We can also paint framing in another colour of your choice. This will give the product and the bathroom a distinctive look.
- Maintenance is easy and convenient. All fasteners are covered to keep water and impurities from getting into mechanisms.
- All products in this collection are made of 8 mm glass as standard.
- The standard height is 2000 mm.
- We also accept non-standard orders and can make shower enclosures to fit the dimensions the customer provides.












### Shower sidewall GABIJA SOFT



100990-1010410-4401101090-1110460-4901201190-1210510-5401301290-1310560-590	SHOWER DOOR	A (mm)	ENTRY WIDTH (mm)
120 1190-1210 510-540	100	990-1010	410-440
	110	1090-1110	460-490
130 1290-1310 560-590	120	1190-1210	510-540
	130	1290-1310	560-590
140 1390-1410 610-640	140	1390-1410	610-640



Custom dimensions in the range of (A) 1010... 2000 mm

- The standard height of GABIJA SOFT is 2000 mm. The maximum height is 2100 mm.
- Shower door fittings in shiny chrome.
- The glass can be clear, tinted brown, grey, satin.
- Glass panels are made of 8 mm tempered safety glass.
- For non-standard products wider than 1500mm, the maximum possible entry width is 750 mm.
- The doors can be mounted on both the right and left side (except the enclosures with satin glass or privacy band).
- When ordering with be sure to specify on side the door will be installed.
- The maximum sidewall width is 2000 mm.
- For widths of 1600 mm or more, an extra top bracket is supplied with the panel installed at a steep angle inside the sidewall.
- We do not produce this wall panel with R004 or R005 handles. See available handles on p. 101.

### Shower enclosure MILDA SOFT



(A) 1000... 1600 mm x (B)800... 1000 mm

- The standard height of MILDA SOFT enclosure is 2000 mm. The maximum height is 2100 mm.
- Shower enclosure fittings in shiny chrome.
- The glass can be clear, tinted brown, grey, satin.
- Glass panels are made of 8 mm tempered safety glass.
  - For non-standard products wider than 1500 mm, the maximum possible entry width is 750 mm.
- The doors can be mounted on both the right and left side (except the enclosures with satin or
  privacy band glass).
- When ordering be sure to specify on which side the door will be installed.
- We do not produce this wall panel with R004 or R005 handles. See available handles on p. 101.

### Shower sidewall panel GABIJA SOFT PLUS







GABIJA SOFT PLUS


SHOWER WALL	A (mm)	ENTRY WIDTH (mm)
140	1390-1410	740
150	1490-1510	790
160	1590-1610	840
Custom	dimonsions in	the range

Custom dimensions in the range of (A)1600... 2200 mm

- .
- .
- .
- .
- .
- The standard height of GABIJA SOFT PLUS enclosure is 2000 mm. The maximum height is 2100 mm. Shower door fittings in shiny chrome. Glass panels are made of 8 mm tempered safety glass. The glass can be clear, tinted brown, grey, satin. When ordering a shower sidewall panel, be sure to specify on which side the door will be installed. .
- We do not produce this wall panel with R004 or R005 handles. See available н. handles on p. 101.



One door GABIJA SOFT





## **SPACE COLLECTION** of classical shower enclosures and screens

The SPACE collection consists of combinations of glass and aluminium framing where the glass structures dominate. Frameless shower doors and semi-framed screens lend these products brightness and lightness.

The shower enclosures are extremely sturdy, since they're made with reliable connectors, 6 mm tempered safety glass, and high-quality bearing mechanisms. Sliding doors ride on eight stainless steel ball-bearings.

Shower enclosures are kept watertight by a specially designed base for the shower and wall panels which adapt ideally to the bathroom floor. Thanks to their optimum height, the enclosures can be installed either on a tray or directly on the floor. That's both practical and convenient.

The glass for the enclosures in this collection is available in clear, tinted grey, brown, patterned, greenish, bluish and satin variations. Frames are grey.

Eight high-quality ball-bearings and specially designed aluminium framing ensure doors move smoothly and easily, which makes them simple to maintain. For a thorough cleaning of the shower, the sliding doors can be easily removed.






### Shower enclosure LAIMA



SHOWER ENCLOSURE	A (mm)	B (mm)	ENTRY WIDTH (mm)
110x80	1085-1100	785-800	530
120x80	1185-1200	785-800	580
130x80	1285-1300	785-800	630

Custom dimensions in the range of (A) 1000... 1500 mm x (B) 800... 1000 mm



Left side installed door

Right side installed door


- The standard height of LAIMA enclosure is 2000 mm.
- The maximum height is 2150 mm.
- Grey anodized aluminum profile.
- Glass panels are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- To switch the length and width, turn an asymmetrical shower enclosure that's being installed 180 degrees.



### Shower enclosure RASA




SHOWER ENCLOSURE	A (mm)	B (mm)	ENTRY WIDTH (mm)		
80x80	785-800	785-800	435-450		
90x90	885-900	885-900	505-520		
100x100	985-1000	985-1000	575-590		
Custom dimensions in the range of (A) 800 1100 mm x (B) 800 1100 mm					



- The standard height of RASA enclosure is 2000 mm. The maximum height is 2150 mm.
- Grey anodized aluminum profile.
- Glass panel are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- To switch the length and width, turn an asymmetrical shower enclosure that's being installed 180 degrees.
- Suitable for a shower tray of the specified dimensions.

### Shower enclosure VAIVA







Left side installed door

Right side installed door

SHOWER ENCLOSURE	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	ENTRY WIDTH (mm)
90x70	885-900	685-700	545-560	480	345-360	480
90x80	885-900	785-800	545-560	480	445-460	480
90x90	885-900	885-900	545-560	480	545-560	480

Custom dimensions in the range of (A) 500... 1200 mm x (B) 900x1200 mm

- The standard height of VAIVA enclosure is 2000 mm. The maximum height is 2150 mm.
- Grey anodized aluminum profile.
- Glass panels are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- To switch the length and width, turn an asymmetrical shower enclosure that's being installed 180 degrees.
- The direction of opening VAIVA shower enclosure door is determined during installation.
- The door opens to the side of the wall wider than 885 mm.
- Suitable for use with the SIMAS 90x90 shower tray.










### Shower door SVAJA



SHOWER DOOR	A (mm)	ENTRY WIDTH (mm)				
100	990-1020	420				
110	1090-1120	460				
120	1190-1220	550				
130	1290-1320	580				
140	1390-1420	650				
	Custom dimensions in the range of					


(A) 1020... 1800 mm



- The standard height of SVAJA is 2000 mm. The maximum height is 2150 mm.
- Grey anodized aluminum profile.
- Glass panels are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- To switch the entry side, turn the sidewall 180 degrees.

### Shower door SVAJA PLUS





- The standard height of SVAJA PLUS is 2000 mm. The maximum height is 2150 mm.
- Grey anodized aluminum profile.
- Glass panels are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.

SHOWER DOOR	A (mm)	ENTRY WIDTH (mm)			
160	1590-1620	740			
170	1690-1720	760			
180	1790-1820	800			

Custom dimensions in the range of (A) 1400... 2200 mm

## More information about 4-wall shower enclosures from the SPACE collection


Using 2 additional panels will give you a 4wall cabin that you can set up without fixing it to a wall. The BRASTA GLASS range includes trays suitable for any such 4-wall shower enclosure.

You can opt for a 4-wall shower enclosure with a tray – a shower box – if your bathroom walls and floor are not waterproof enough.

Shower boxes are easy to fix in place, whether against a wall or in another place of your choice. They can be set up in the middle of a room.

Gaskets along the entire mounting surface ensure a complete seal.

Shower boxes are ideal in log cabins, wood houses, country houses and other bathrooms where good waterproofing is not possible.




#### FOR A SHOWER BOX WITH GLASS WALLS:

- If you use a glass wall panel, be sure to indicate precisely where the tap will be attached or provide technical drawings, since the holes and cut-outs must be made at the factory.
- Exact drilling coordinates should be given when ordering.

# FOR A SHOWER BOX WITH WALLS OF 10 MM HIGH-PRESSURE LAMINATE:

- The wall panels are made of waterproof 10 mm highpressure laminate.
- Available laminate colours: white, light grey, dark grey, beige.
- Use of the additional wall panels will give you a complete
   4-wall cabin that you can set up without fixing it to a wall.
- Cut-outs are not made for the tap but are drilled into the panel during installation. A shower stand can also be attached anywhere on the panel.



- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- The VAIVA shower box can be installed on a SIMAS 90X90 tray.
- The RASA shower box can be installed on ROKAS 90X90 and LINAS 120X80 trays.
- The LAIMA shower box can be installed on a LINAS 120X80 tray.

Corner for 2 glass panels

(A) 700... 1500 mm

90

100

Custom dimensions in the range of

2000


Using 1 sidewall panel of glass or high-pressure laminate, any shower box from the SPACE collection can be mounted directly on a wall.

Use of 2 additional panels will give you a full 4-wall cabin that you can set up without fixing it to a wall.

#### UNIVERSAL SIDEWALL PANEL OF 10 MM HIGH-PRESSURE LAMINATE



RASA shower enclosure with 1 wall panel VAIVA shower enclosure with 1 wall panel LAIMA shower enclosure with 1 wall panel





Corner for 2 laminate wall panels.



HEIGHT

(mm)

2000

WIDTH OF OPTIONAL WALL

within the specified range

80

90

100

Custom dimensions in the range of

(A) 700... 1500 mm


RASA shower enclosure with 2 wall panels VAIVA shower enclosure with 2 wall panels LAIMA shower enclosure with 2 wall panels

- Maximum panel height is 2150 mm, maximum width is 1500 mm.
- Grey anodized aluminium framing.
- This panel is not installed as a separate product.
- Available laminate colours: white, light grey, dark grey, beige.
- The VAIVA shower box can be installed on a SIMAS 90X90 tray.
- The RASA shower box can be installed on ROKAS 90X90 and LINAS 120X80 trays.
- The LAIMA shower box can be installed on a LINAS 120X80 tray.

# BATH SCREENS

#### BATH SCREEN MIJA

PHOTOS: Simoni Design Studio. Interior designer Rasa Simonytė.




#### Bath screen MIJA Right side installed door Left side installed door MIJA clear glass, RAL black-colour fittings Δ Λ ADJUSTMENT LIMITS The standard height of MIJA is 1500 mm. **BATH SCREEN** A (mm) • The maximum screen height is 1700 mm. Bathroom wall fittings in shiny chrome. 70 695-708 Screens are made of 6 mm tempered safety glass. The glass can be clear, tinted brown, grey, green or 795-808 80 blue, satin, chinchilla, patterned. Bath screen MIJA is stable. 90 895-908 • When ordering a bath screen with patterned, satin, chinchilla glass, be sure to specify on which side it will be installed. 100 995-1008 The bath screen can be produced with black RAL fittings. If you prefer a wall with a non-rounded top corner, we can Custom dimensions vary in the range supply it as a non-standard product. of 500...1000 mm.

#### **Bath screen MEDA**



Right side installed door Left side installed door



BATH SCREEN	ADJUSTMENT LIMITS A (mm)
70	699-702
75	749-752
80	799-802

Custom dimensions vary in the range of 500...1000 mm.

- The standard height of MEDA is 1500 mm.
- The maximum screen height is 1700 mm.
- Bathroom wall fittings in shiny chrome.
- Screens are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- When ordering a bath screen, be sure to specify on which side it will be installed.
- A bath screen with a non-rounded top corner can be produced upon request. In such case it becomes a custom made product.



R 100



#### Bath screen MAJA



Right side installed door

Left side installed door

BATH SCREEN	ADJUSTMENT LIMITS A (mm)	
70	695-708	
80	795-808	
90	895-908	
100	995-1008	
Custom dimensions vary in the range		

of 500...995 mm.

#### **Bath screen MAJA PLUS**



Right side installed door Left side installed door



BATH SCREEN	ADJUSTMENT LIMITS A (mm)	
70	695-710	
80	795-810	
90	895-910	
100	995-1010	
110	1095-1110	
Custom dimensions vary in the range		

of 600...1095 mm

MAJA

RAL black-colour fittings

- MAJA gold-colour fittings
- The standard height of MAJA is 1500 mm.
- The maximum screen height is 1700 mm.Bathroom wall fittings in shiny chrome.
- Screens are made of 6 mm tempered safety glass.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- The bath screen folds both inwards and outwards.
- When ordering a bath screen with patterned / satin glass, be sure to specify on which side it will be installed.
- The bath screen can be produced with black- RAL or goldcoloured fittings.
- A bath screen with a non-rounded top corner can be produced upon request. In such case it becomes a custom made product.



а. The standard height of MAJA PLUS is 1500 mm.

fittings

MAJA PLUS, clear glass,

- The maximum screen height is 1700 mm.
  Bathroom wall fittings in shiny chrome.
- Screens are made of 6 mm tempered safety glass. а.
- The glass can be clear, tinted brown, grey, green or blue, satin, chinchilla, patterned.
- Stable screen width in standard products is 350 mm. Other dimensions are also possible.
- When ordering a bath screen with patterned / satin / н. chinchilla glass, be sure to specify on which side it will be installed.
- The bath screen can be produced with black RAL fittings.
- A bath screen with a non-rounded top corner can be н. produced upon request. In such case it becomes a custom made product.




77 | BRASTA GLASS



#### **Bath screen BERTA**





BATH SCREEN	A (mm)
80	795-808
90	895-908
100	995-1008


Δ

Custom dimensions vary in the range of 500... 995 mm

- BERTA clear glass, RAL black-colour fittings.

- The standard height of BERTA is 1500 mm.
  The maximum screen height is 1700 mm.
  Bathroom wall fittings in shiny chrome.
  Screens are made of 6 mm tempered safety glass.
  The glass can be clear, tinted brown, grey, green or blue, active relia helia watter active active screen. satin, chinchilla, patterned.The screen glass is divided into two equal parts.
- When ordering a bath screen with patterned, chinchilla, satin glass, be sure to specify on which side it will be installed.
- The bath screen can be produced with black RAL fittings.





## ADDITIONAL BATH SCREEN OPTIONS: NON-STANDARD SOLUTIONS

Our biggest difference is we can adapt to your needs and produce custom bath screens.

We find solutions for niches, attics and small bathrooms.

We design for ease of use, also considering how a screen opens and how it will be maintained. Our experience guarantees the stability, reliability and aesthetics of new designs.





MAJA PLUS with extra sidewall panel
 MAJA with extra sidewall panel



## ADDITIONAL BATH SCREEN OPTIONS: RAL COLOURED FITTINGS

We can paint the bath screen of your choice in a RAL colour. See our RAL colour palette on p. 92.

How to choose a shower screen model?


The choice of a screen often depends not just on aesthetics, but also on the bathroom's size and the style and texture of the walls and floor.



Non-standard bath screen SVAJA 2 PLUS, clear glass, RAL black-colour fittings

PHOTOS: Simoni Design Studio. Interior designer Rasa Simonytė.





## Tray

#### **SIMAS** cast stone shower tray

Tray dimensions (cm)	Tray height (mm)	Tray colour
90x90	135	white

Set includes tray top, legs, front trim and 90 mm siphon.

Tray top is made of cast stone.

#### LINAS cast stone shower tray

Tray dimensions (cm)	Tray height (mm)	Tray colour
120x80	135	white

- Set includes tray top, legs, front trim and 90 mm siphon.
- Tray top is made of cast stone.





#### IGNAS cast stone shower tray

Tray dimensions (cm)	Tray height (mm)	Tray colour
90x90	135	white

- Set includes tray top, legs, front trim and 90 mm siphon.
- Tray top is made of cast stone.
- Tray radius R 550.
- KATARINA, SONATA and JULIA can be mounted on this tray.


#### **ROKAS** cast stone shower tray

Tray dimensions (cm)	Tray height (mm)	Tray colour
90x90	135	white
100x100	135	white

- Set includes tray top, legs, front trim and 90 mm siphon.
- Tray top is made of cast stone.









### ORNAMENT


"Ornaments create an interior that is contemporary and distinctive. They have two components – element and system. Elements can be very simple: squares, dots, circles, etc. Elements are combined into forms and forms into systems. Combining forms results in rhythm and proportion," say the Italian designers Claudia and Thomas Weil.

Together with Lithuanian designers we have also created more ornaments. To transfer them onto glass, we use a special highquality adhesive film for ornaments. It is applied to the exterior of an enclosure. All our products, both standard and non-standard, can be decorated with these ornaments.



Shower enclosure KRISTINA, with MANDALA ornament

The ornaments are produced by screen printing. We can also decorate an enclosure or screen with an ornament of your own design matching the pattern of bathroom tiles or other interior details. We decorate only frameless shower enclosures and screens.



MORE ORNAMENTS www.brastaglass.lt

## LUXURY. QUALITY. ELEGANCE.



# Shower enclosures and screens with **GOLD-COLOUR FITTINGS**

In a bathroom, too, when used subtly, it helps create a sense of style and distinction. Artfully combining this precious metal with other deep colours can turn even an ordinary room into a royal suite – gold pairs perfectly with colours like dark blue, warm brown, wine red, terracotta and emerald.

Gold can be the basis of a bathroom's interior design concept. Shower enclosures and screens adorned with gold fittings go very well alongside other gilded elements such as shower heads and handles or towel hooks and mirrors. With an interior approach of this type, your bathroom will radiate luxury.




We use fittings of this colour in our ACROBAT and ELEGANCE collections of shower enclosures. As the form of these enclosures radiates elegance, gold-colour fittings are most fitting for them.

The following products are available with gold-colour fittings:

VIKTORIJA, KRISTINA, KATARINA, ANA PLUS, AURORA, LUNA shower enclosures; GERDA, GRETA, RITA, INA PLIUS, DIJA, LAURA, MAJA, MIJA, KAJA shower and bath screens.

IMPORTANT! Gold-colour parts may vary in shade!



### How to maintain golden fittings?

To maintain the shine of golden fittings for as long as possible, we recommend simply wiping them with a soft dry cloth or towel after every use. If you clean them less frequently, gold-coloured fittings may lose their shine, in which case we recommend cleaning them with a 1:3 solution of vinegar and water. Place a cloth moistened with the solution on the gold-coloured fittings and allow it to sit for 15 minutes. Then wipe them with a damp cloth.

Do not use any cleaning or polishing agents that contain abrasives, as you could damage the coating. Repeat the moistening and wiping process as needed until the fittings are clean. Once all water and soap residue is removed, rinse thoroughly with clean water and wipe with a clean dry cloth until no water remains and the gold surfaces shine. Doing this will keep your gold bathroom fittings looking beautiful and new for years to come.







### **BRONZE COLOUR FITTINGS** are a colourful new addition to bathroom interior solutions

Bathroom interior design, long ruled by neutral and cool colours symbolising not just elegance and refined taste, but also asceticism or even sterility, is shifting towards warm, soft colours, warm earth tones, amid a changing pace of life and the realisation that rest and cosiness require softer hues.

Recent design trends focus on creating a warm and lively atmosphere, which has led to an ever-increasing use of shades of brown, like terracotta, bronze or rust, olive, pine and cedar. Varying intensities of brown in an interior are like a relaxing infusion of nature, a step towards what is natural, and an allusion to the styles of the past, which can be enhanced by the products with bronze fittings in the "Without Limits" collection! Bronze is a warm colour that exudes a certain air of quality and luxury. Less shiny than gold, it adds not only uniqueness to a bathroom interior, but also cosiness and warmth.

One material that goes wonderfully with bronze is natural wood. A beautiful wooden floor or item of furniture can serve as a stylish complement to bronze, adding a sense of calm and creating an elegant, minimalistic style. Marble is another material that works well with bronze tones to lend a contemporary and timeless feel to a bathroom.

Bronze with the colour black will give your bathroom an ambience of luxury and intimacy, especially with the right lighting. In combination with pastel shades, like light blue, mint green or pink, bronze will help achieve a sense of balance and perfect complementarity, for an interior that is completely unique and warm. Since bronze falls into the 'neutral' category, it is also very versatile and can be combined with a range of rich cool tones including navy blue, deep grey and forest green, while warm colours, like reds and oranges, also pair nicely with bronze.

The following products can be made with bronze colour fittings:

- Shower enclosures: NORA, NORA PLUS, LIEPA, JULIJA, NIDA
- Shower doors for niches: IEVA, IEVA PLUS, IRMA
- Shower walls: DORA







# COLOURED FITTINGS

Shower enclosures and screens can be painted in the RAL colour of your choice to give your bathroom special charm and harmony.

### **IMPORTANT!**

91 | BRASTA GL

The RAL 9005 black framing is supplied with black PVC seals for a bottom sweep and vertical seals with magnet (photo at right). For products with 8 mm glass and for the SOFT frameless sliding system, we supply clear seals and bottom sweeps.

For the AESTHETICA frameless sliding system, we can only supply black bottom wipers. For framing of all other colours, only clear PVC seals are available (see photos on next page).

When you order a shower solution with fittings painted in a RAL colour of your choice, we can also paint bathroom accessories (towel hooks, mirror frames) in the same colour.



SIMONA shower enclosures come with parts fully painted black.



Despite every effort to provide accurate images of each product's actual colour may vary. Use RAL colour chart to define exact colour tone.

BRASTA GLASS | 92




NON-STANDARD SHOWER SCREEN of 8 mm glass with white RAL 9003 framing.





The EMA shower screen Painted framing around the entire perimeter.

The DIJA shower screen is available with gold-coloured framing.



GRETA PLUS clear glass, RAL black-colour fittings




GABIJA SOFT clear glass, RAL black-colour fittings



95 I BRASTA GLASS

PHOTOS: MATILDA Design Studio. Photographer: Photospike, Benas Sileika.





## TYPES OF GLASS

You can choose the glass for any shower enclosure from this range. The glass can be clear, frosted, tinted brown, grey, green or blue, or decorated with ornaments or with a privacy band.















6 and 8 mm SECRET (privacy band)



6 and 8 mm SATIN

6 mm GREEN

6 mm BLUE

6 and 8 mm TINTED BROWN

6 and 8 mm TINTED GREY

\*Satin glass has a greenish tint. If you wish to avoid that, choose clear satin glass.

\*\*Products whose design requires 8 mm glass cannot be made with patterned, chinchilla, tinted green or blue glass.

## CRYSTAL CLEAR OPTIWHITE GLASS – MORE NATURALNESS AND COLOUR PURITY

This glass is very widely used in architecture and design. The main difference between ordinary and Optiwhite glass is that the former has a greenish tint due to the way it's produced. Objects behind it also take on a noticeable greenish tint. Optiwhite is a low-iron, ultra-clear glass made using carefully selected raw materials.

#### KEY ADVANTAGES OF OPTIWHITE GLASS:

- Doesn't distort objects behind the glass
- Better, purer transmission of colour
- Maximum light transparency



# MIRRORED GLASS for your bathroom

Small bathroom? A mirrored shower enclosure or bath screen will help enlarge it! It will create a unique interior for your bathroom, reflecting the interesting decoration of the wall in front and the room's aesthetically arranged furnishings and accessories. With the right arrangement of light fixtures, the mirrors will fill the space with light and create a unique shimmering effect. And if you hang another mirror in front of a mirrored shower enclosure or partition, you can enjoy the effect of infinite space!





Cleaning this type of shower enclosure is no challenge at all with the original, designer glass wiper (see pg 101).

The mirrored glass is made from tempered safety glass. We can produce either one wall panel of your choice or several stable wall panels. Mirrored glass is less light transmitting.

A mirrored shower screen is very functional, as there is rarely a free wall in the bathroom to hang a large mirror. Our customers have already come to love with this option!



## **PRIVACY BAND**

Privacy band involves a 70 cm (SECRET 70) or 100 cm (SECRET 100) matte band on a clear glass pane.

The band is always in the centre of a shower enclosure or screen, regardless of the height of the enclosure or screen.

Now you can combine privacy and transparency! We only use this technology for enclosures and screens with flat glass.

\*Any model you choose can have a PRIVACY band.












# NEW! Fluted glass for your shower solution

This patterned glass, revived from the 19th century, has come to be widely used over the last few years to fashion contemporary, clean-lined, bold interiors. So it is no surprise the trend has moved to the bathroom too, where the horizontal lines create unique optics and a balance of transparency and privacy. Shower solutions with grooves are sophisticated and eyecatching.

- Available only in glass with a greenish tint.
- Glass thickness may only be 6 mm.
- Fluted glass is not available for all products.







## NEW! Mirrors. Even more options and individuality for your bathroom.

A mirror is not just a cosy home accessory but also a vital feature of any bathroom. Frame the mirror in a colour and style mimicking those of your shower fittings. The stylish fusion will lend the bathroom subtle elegance. And now you can experiment without fear – Brasta Glass will make a mirror in the right size and proportions for your bathroom. Space opens up for new ideas!

- The mirror's metal frame can be black, chrome, gold, bronze or any other colour in the RAL palette.
- The metal construction is perfectly smooth and protected from environmental effects.
- Mirrors can be hung or attached to the wall with adhesive.
- Black lines border the shower enclosure's glass and mirror in a distinctive accent reflecting the fashionable industrial-style bathroom décor trend.
- Gold and bronze fittings create a special atmosphere which radiates tasteful luxury.

#### **MIRRORS WITHOUT A FRAME**

- Silver mirrors available in thicknesses of 4 and 6 mm;
- We make rectangular mirrors in sizes of 500-1600 mm, round mirrors with a diameter of 400-1410 mm.


#### **MIRRORS WITH A FRAME**

- With frames, we produce 6 mm mirrors in sizes of 500-1600 mm.
- Available framing: chrome, black, gold, bronze, and RAL colours of your choice.

\* A mirror's frame can be painted in the selected RAL colour only when also ordering a RAL painted shower solution.







## NEW! **TOWEL HOOKS**

A tiny detail to complement your chosen shower solution, giving your bathroom perfect harmony and a refined aesthetic.

- Unique design
- Impeccable quality



#### **TOWEL HOOKS**

Screws into wall

•

.

Mounts on the edge of the glass

- No holes needed in the glass •
- Hook's location can be changed at . will



- . Hole diameter is 10 mm. •
- Order together with the shower enclosure or screen, specifying the location for the hold.







CODE: 5263667

CODE: 5263664

If you are ordering a product with fittings painted in a RAL colour of your choice, we can also paint hooks the same colour.




Author Industrial desinger Moses Kang



## **GLASS WIPER**

- Source of the second se
- Solution You won't need chemicals or cleaners to maintain your shower enclosure the wiper with its silicone blade clings firmly to the glass and removes every drop.
- Solution This tool is extremely functional: you don't even have to think about where to store the wiper, as it's safe and convenient to leave right on the edge of the glass or on the handle!
- S If the silicone blade wears out, it can be easily replaced, so the wiper will enjoy a long life.
- Make your shower clean and shiny easier and faster than ever before! After using it, run the wiper over the glass panels. It only takes a minute and will effectively remove water droplets and other deposits. The glass will stay transparent with no need for chemical cleaners!



## INSTRUCTIONS FOR USE OF THE PRODUCT (GLASS SHOWER PARTITIONS):

- Protect the product's glass from mechanical damage by sharp objects.
- Do not place heavy objects on the installed product or exert strong physical force on it.
- Adhesive films should not be affixed to the product's glass panes.
- Clean the hinges, seals and glass panes with a glass cleaner.
- It should have a pH of between 4 and 10 i.e., do not use strong acidic or alkaline cleaners.
- Do not use microfibre cloths to clean the glass.
- When not in use, leave the door open for ventilation.
- Dry the glass with a soft cloth or glass wiper.



### Products suitable for cleaning shower enclosures and screens:

- > A rubber or polyurethane window wiper
- A soft synthetic sponge
- Liquid cleaning agents for cleaning windows and removing water deposits
- A solution of 5-10% citric or acetic acid

# Not recommended for use in cleaning:

- Alkaline agents.
- Organic solvents (benzene, acetone, etc.).
- Formaldehyde.
- Formic or similar acids.
- Cleaning agents containing coarse particles.
- Cleaning agents containing dyes.

## Nano coating and protection set for SHOWER GLASS

# YOUR SHOWER GLASS WILL STAY CLEAN LONGER!

The shower enclosures and shower panels made by "Brasta Glass" are covered by unique coating "Fast Drops" that prevents build-up of limescale, dirt and soap on the glass.

The coating's protection becomes less effective with time and use of various detergents, hence we recommend to renew it periodically – ideally, in 3-12 months, depending on the frequency of shower's use, water hardness, and means used to clean a shower enclosure or panel.

This kit will help you to perform all the necessary works at home!







EASY TO CLEAN: repels water and dirt



LONG LASTING PROTECTION: prevents limescale build-up



PREVENTS LIMESCALE - has a self-cleaning effect

## THE KIT INCLUDES:

- Nano-coating, 30 ml intended for glass shower enclosures;
- Surface Scrub, 50 ml a concentrated cleaning agent for preparing the surface before applying the nano-coating;
- A spray nozzle for the Surface Scrub cleaner;
- Cloths for cleaning and coating (2);
- A microfibre cloth;
- Gloves (1 pair);
- User manual.

## GET RID OF LIMESCALE INSTANTLY!

BRASTA GLASS introduces a **highly effective** limescale remover that has been developed, not just about the limescale but also about you.

It is **free of fragrances, dyes and parabens**, and its formula is not only maximally effective but also environmentally friendly: it breaks down naturally and does not pollute the environment.

The limescale cleaner easily and effectively removes even thick layers of lime deposits and makes you forget about those hard-to-remove dirt deposits. The cleaner will keep tiles, sinks and chrome surfaces sparkling. Effortlessly and quickly dissolves and removes a wide range of dirt and soap residues.



## SUITABLE FOR:





# CUSTOM SHOWER ENCLOSURES AND SCREENS


Home solutions are constantly evolving. Every day they become more wide-ranging and intelligent, bringing more and more variety to home interiors. The bathroom is no exception. We aim to encourage individual style and creativity, which is why we're pleased to offer a range of custom options. BRASTA GLASS offers custom products worthy of being installed in even the most modern bathrooms. Experience of many years allows us to ensure the functionality and durability of our non-standard shower enclosures, which are just as good as our standard products. Smart solutions allow you to enjoy life more.

## Custom shower enclosures and screens are our biggest pride and distinction.

Almost all our BRASTA GLASS shower enclosures and screens can be made to suit your needs and wishes. Our long experience enables us to assess not only the stability and practicality of enclosures we design, but also their aesthetics. In more than 25 years of operation, we've brought many quite complex solutions to life.








We can offer custom solutions for lofts, alcoves and non-standard room layouts.


Whenever you need a more complex solution for a recessed area, for an extra spacious enclosure with additional wall panels, or, conversely, for a very small bathroom, you'll need a product of custom design.

The consultants at BRASTA GLASS will help you find the best option. We'll design and manufacture an enclosure tailored to your specific needs.



## **IMPLEMENTED NONSTANDARD PROJECTS**
















### BRASTA GLASS Ltd

- Palemono st. 7B, LT-52158 Kaunas
- +370 670 00511
- info@brastaglass.com
- in Brasta glass
- 🕒 Brasta glass
- www.brastaglass.lt